

# BRIDGESTONE (veoautorehvid)

Kehtib alates 13.04.2017.a.



											Hind km-ta	Hind km-ga
<b>22,5" FRONT</b>												
50302	11	R	22.5	R297	148 / 145	L	C	E	2	72	428	513
8637	11	R	22.5	R297 M+S	148 / 145	L	C	E	2	72	428	513
50294	12	R	22.5	R297	152 / 148	L	B	D	2	72	505	606
8635	12	R	22.5	R297 M+S	152 / 148	L	B	D	2	72	505	606
8633	13	R	22.5	R297 M+S	156 / 150	L	C	D	2	71	528	633
49409	255 / 70	R	22.5	R294	140 / 137	M	C	D	1	70	449	538
9948	255 / 70	R	22.5	R294 M+S	140 / 137	M	C	D	1	70	449	538
3828	275 / 70	R	22.5	R249ECO	148 / 145	M	C	C	2	72	482	578
9932	275 / 70	R	22.5	R249ECO M+S	148 / 145	M	C	C	2	72	482	578
8641	275 / 70	R	22.5	R297 M+S	148 / 145	K	C	D	2	72	455	546
50379	275 / 70	R	22.5	R297	148 / 145	K	C	D	2	72	455	546
48338	275 / 80	R	22.5	R294	148 / 144	M	C	E	2	71	495	594
3821	295 / 60	R	22.5	R249ECO	150 / 147	L	C	D	1	70	528	633
3814	295 / 80	R	22.5	R249ECO	152 / 148	M	C	C	2	72	529	634
9928	295 / 80	R	22.5	R249ECO M+S	152 / 148	M	C	C	2	72	529	634
5966	295 / 80	R	22.5	RS1	154 / 149	M	C	C	1	68	529	634
8654	295 / 80	R	22.5	RS1 M+S	154 / 149	M	C	C	1	68	529	634
6243	295 / 80	R	22.5	ECOHS1	154 / 149	M	C	C	1	70	518	621
8639	295 / 80	R	22.5	R297 M+S	152 / 148	M	B	D	2	73	487	584
3817	305 / 70	R	22.5	R249ECO	150 / 148	M	C	D	1	69	479	574
6626	315 / 60	R	22.5	R249II	154 / 148	L	C	C	2	72	557	668
9972	315 / 60	R	22.5	ECOHS1	154 / 148	L	C	C	2	72	556	667
9923	315 / 70	R	22.5	R249ECO M+S	152 / 148	M	B	C	2	73	521	625
3054	315 / 70	R	22.5	R297EVO	156 / 150	L	C	D	2	71	514	616
8643	315 / 70	R	22.5	R297EVO M+S	156 / 150	L	C	D	2	71	514	616
3812	315 / 70	R	22.5	R249ECO	152 / 148	M	B	C	2	73	521	625
3827	315 / 70	R	22.5	R249ECO	156 / 150	L	C	D	2	71	521	625
4948	315 / 70	R	22.5	ECOHS1	156 / 150	L	C	B	1	68	541	649
5964	315 / 70	R	22.5	RS1	156 / 150	L	B	C	2	72	543	651
8651	315 / 70	R	22.5	RS1 M+S	156 / 150	L	B	C	2	72	543	651
8640	315 / 70	R	22.5	R297 M+S	152 / 148	M	B	D	3	74	511	613
3810	315 / 80	R	22.5	R249ECO	154 / 150	M	C	C	2	72	550	660
9926	315 / 80	R	22.5	R249ECO M+S	154 / 150	M	C	C	2	72	550	660
5388	315 / 80	R	22.5	RS1	156 / 150	L	B	C	2	73	547	656
8644	315 / 80	R	22.5	RS1 M+S	156 / 150	L	B	C	2	73	547	656
6245	315 / 80	R	22.5	ECOHS1	156 / 150	L	C	C	1	69	546	655
50358	315 / 80	R	22.5	R297	154 / 150	M	B	D	2	73	511	613
8632	315 / 80	R	22.5	R297 M+S	154 / 150	M	B	D	2	73	511	613
4367	355 / 50	R	22.5	R249EVO	156	L	C	D	2	71	600	719

											Hind km-ta	Hind km-ga
10040	355 / 50	R	22.5	R249II EVOECO	156	L	RENEWAL				600	719
4843	385 / 55	R	22.5	R249ECO	160	K	C	D	2	72	574	688
8070	385 / 55	R	22.5	ECOHS1	160	K	C	C	2	71	564	677
3807	385 / 65	R	22.5	R249ECO	160	K	B	C	3	74	557	668
9930	385 / 65	R	22.5	R249ECO M+S	160	K	B	C	3	74	557	668
8648	385 / 65	R	22.5	RS1 M+S	160	K	B	C	1	69	554	664
8657	385 / 65	R	22.5	RS1 EVO M+S	164	K	B	C	2	71	581	697
7033	385 / 65	R	22.5	RS1 EVO	164	K	B	C	2	71	581	697
<b>22,5" DRIVE</b>												
74899	10	R	22.5	M716	144 / 142	L	C	F	2	73	485	582
70301	11	R	22.5	M711	148 / 145	L	D	E	2	72	385	462
4365	13	R	22.5	M729	156 / 150	L	C	E	2	73	528	633
4360	275 / 70	R	22.5	M729	148 / 145	M	C	E	2	75	455	546
7029	295 / 60	R	22.5	RD1	150 / 147	L	C	E	1	72	532	638
7025	295 / 60	R	22.5	ECOHD1	150 / 147	L	D	C	2	74	529	635
3872	295 / 60	R	22.5	M749ECO	150 / 147	L	C	E	3	74	529	634
3803	295 / 80	R	22.5	M749ECO	152 / 148	M	C	D	3	75	529	634
5366	295 / 80	R	22.5	M729	152 / 148	M	C	E	2	73	487	584
5970	295 / 80	R	22.5	RD1	152 / 148	M	C	D	2	75	529	634
6246	295 / 80	R	22.5	ECOHD1	152 / 148	M	C	C	2	73	518	621
50403	295 / 80	R	22.5	M730	152 / 148	M	C	F	3	75	487	584
4356	305 / 70	R	22.5	M729	150 / 148	M	C	F	2	74	479	574
4876	315 / 45	R	22.5	M749	147 / 145	L	D	E	3	76	569	682
3805	315 / 60	R	22.5	M749ECO	152 / 148	L	C	E	3	75	557	668
7027	315 / 60	R	22.5	RD1	152 / 148	L	D	E	2	74	557	668
7023	315 / 60	R	22.5	ECOHD1	152 / 148	L	C	C	1	73	556	667
3801	315 / 70	R	22.5	M749ECO	152 / 148	M	B	D	3	75	521	625
4353	315 / 70	R	22.5	M729	152 / 148	M	C	E	3	77	511	613
4950	315 / 70	R	22.5	ECOHD1	154 / 150	L	C	B	1	74	541	649
5968	315 / 70	R	22.5	RD1	154 / 150	L	C	D	1	73	543	651
50404	315 / 70	R	22.5	M730	152 / 148	M	C	F	3	75	511	613
3799	315 / 80	R	22.5	M749ECO	154 / 150	M	C	D	3	75	550	660
4348	315 / 80	R	22.5	M729	154 / 150	M	C	E	3	78	511	613
5390	315 / 80	R	22.5	RD1	156 / 150	L	C	D	2	75	547	656
6247	315 / 80	R	22.5	ECOHD1	156 / 150	L	C	C	1	70	546	655
50402	315 / 80	R	22.5	M730	154 / 150	M	C	F	3	75	511	613
3797	495 / 45	R	22.5	M709ECO	169	M	D	C	2	73	1083	1300
<b>22,5" TRAILER</b>												
6660	11	R	22.5	R187	148 / 145	L	B	C	1	68	324	388
9945	11	R	22.5	R187 M+S	148 / 145	L	B	C	1	68	324	388
70271	275 / 70	R	22.5	R184	148 / 145	L	C	D	2	71	465	558
9943	275 / 70	R	22.5	R184 M+S	148 / 145	L	C	D	2	71	465	558
73589	315 / 80	R	22.5	R184	154 / 149	M	C	C	1	69	417	500
3156	385 / 55	R	22.5	R109ECO	160	K	D	C	2	73	560	672
5807	385 / 55	R	22.5	ECOHT1	160	K	C	B	2	73	551	661
7526	385 / 65	R	22.5	ECOHT1	160	K	B	B	1	68	529	635
5808	385 / 55	R	22.5	R168	160	K	B	C	3	74	534	641

											Hind km-ta	Hind km-ga
8605	385 / 55	R	22.5	R168 M+S	160	K	B	C	3	74	534	641
6738	385 / 65	R	22.5	R168+	160	K	B	C	1	70	528	633
8606	385 / 65	R	22.5	R168+ M+S	160	K	B	C	1	70	528	633
74556	385 / 65	R	22.5	R164	160	K	C	C	2	71	504	605
8592	385 / 65	R	22.5	R164 M+S	160	K	C	C	2	71	504	605
48802	425 / 65	R	22.5	R164	165	K	D	C	1	70	681	817
8590	425 / 65	R	22.5	R164 M+S	165	K	D	C	1	70	681	817
50282	445 / 65	R	22.5	R164	169	K	C	C	1	70	696	835
8591	445 / 65	R	22.5	R164 M+S	169	K	C	C	1	70	696	835
<b>COACH BUS</b>												
5104	295 / 80	R	22.5	M788EVO	154 / 149	M	C	D	1	71	509	611
50334	315 / 70	R	22.5	M788	152 / 148	M	C	D	1	71	505	606
50151	315 / 80	R	22.5	M788	156 / 150	L	C	D	2	74	520	624
<b>CITYBUS</b>												
50456	11	R	22.5	R192	148 / 145	J	D	E	2	71	419	503
74777	12	R	22.5	R192	152 / 148	G	D	D	1	70	489	587
6021	275 / 70	R	22.5	R192	148 / 145	J	C	D	2	70	465	558
6645	275 / 70	R	22.5	U-AP1	150 / 148	J	B	D	1	73	465	558
3665	295 / 80	R	22.5	R192	152 / 148	J	C	D	1	72	560	672
75112	305 / 70	R	22.5	R192	152 / 148	J	D	D	1	70	490	588
50311	435 / 45	R	22.5	R173	162	J	D	D	2	71	855	1026
8609	435 / 45	R	22.5	R173 M+S	162	J	D	D	2	71	855	1026
8607	455 / 45	R	22.5	R173 M+S	166	J	C	D	2	72	931	1118
3155	455 / 45	R	22.5	R173	166	J	C	D	2	72	931	1118
<b>ON/OFF</b>												
74901	10	R	22.5	M840	144 / 142	K	B	D	2	72	424	508
49402	11	R	22.5	M840	148 / 145	K	C	D	2	72	389	466
49489	12	R	22.5	L317	152 / 148	G	C	F	2	73	489	587
49576	12	R	22.5	M840	152 / 148	K	C	D	2	73	501	601
50168	13	R	22.5	M840	154 / 150	K	C	C	1	70	527	632
7550	13	R	22.5	M840EVO	158 / 156	G	B	D	2	72	551	661
8896	13	R	22.5	S867Z	156 / 150	K	B	C	1	70	550	660
50317	13	R	22.5	L317	154 / 150	G	D	F	1	72	500	600
7554	13	R	22.5	L317EVO	158 / 156	G	B	F	2	73	524	628
79497	13	R	22.5	L355	154 / 150	K	B	E	1	74	515	618
7552	13	R	22.5	L355EVO	158 / 156	G	B	E	2	75	538	645
8690	13	R	22.5	MD1	156 / 150	K	B	D	1	73	538	645
2978	14.00	R	20	VSJ	161	K	C	E	2	75	870	1044
50372	275 / 70	R	22.5	M840	148 / 145	K	C	E	1	70	459	550
9350	295 / 80	R	22.5	MD1	152 / 148	K	RENEWAL				525	630
9348	295 / 80	R	22.5	MS1	152 / 148	K	RENEWAL				525	630
73877	295 / 80	R	22.5	M840	152 / 148	K	C	C	2	72	501	601
1250	315 / 80	R	22.5	M840	156 / 150	K	C	C	2	73	527	632
7546	315 / 80	R	22.5	M840EVO	158 / 156	G	C	D	1	69	551	661
7548	315 / 80	R	22.5	L355EVO	158 / 156	G	B	E	1	73	551	661
8698	315 / 80	R	22.5	MS1	156 / 150	K	B	C	1	69	551	661
8692	315 / 80	R	22.5	MD1	156 / 150	K	B	D	1	72	551	661

											Hind km-ta	Hind km-ga
8365	385 / 65	R	22.5	M748	160	K	B	C	3	74	535	642
7556	385 / 65	R	22.5	M748EVO	164	G	B	D	2	72	560	672
8694	385 / 65	R	22.5	MT1	160	K	B	C	2	73	550	660
48983	425 / 65	R	22.5	M748	165	K	D	D	1	70	751	902
50283	445 / 65	R	22.5	M844	169	K	D	C	2	71	708	849
50287	445 / 65	R	22.5	M748	169	K	D	C	2	71	708	849
2980	12.00	R	24	L317		UNDER RENEWAL					702	842
<b>WINTER</b>												
3903	11	R	22.5	M758	148 / 145	L	D	F	2	72	420	504
3974	12	R	22.5	W970	152 / 148	K	D	F	3	76	478	573
3902	275 / 70	R	22.5	W970	148 / 145	M	D	F	3	75	456	548
9680	275 / 70	R	22.5	NORD1	148 / 145	M	C	E	2	75	476	571
7031	275 / 70	R	22.5	W958	148 / 145	J	B	E	1	70	471	565
1618	295 / 60	R	22.5	W990	150 / 147	L	E	F	2	73	509	611
1615	295 / 80	R	22.5	W990	152 / 148	M	C	F	2	74	490	588
2445	295 / 80	R	22.5	W958	152 / 148	M	C	D	2	74	485	582
3972	295 / 80	R	22.5	W970	152 / 148	M	E	F	2	72	490	588
9682	295 / 80	R	22.5	NORD1	152 / 148	M	C	E	2	75	512	614
1610	315 / 70	R	22.5	W990	152 / 148	M	C	F	1	73	505	606
2447	315 / 70	R	22.5	W958	152 / 148	M	C	D	2	74	505	606
1301	315 / 80	R	22.5	W990	154 / 150	M	C	F	1	73	520	624
3970	315 / 80	R	22.5	W970	154 / 150	M	E	F	3	76	520	624
3988	315 / 80	R	22.5	W958	156 / 150	L	C	D	2	72	520	624
9684	315 / 80	R	22.5	NORD1	156 / 150	L	C	E	2	75	542	650
4845	385 / 55	R	22.5	M788	160	K	C	E	2	73	574	688
50386	385 / 65	R	22.5	M788	160	K	C	E	3	75	565	678
8660	385 / 65	R	22.5	W958	160	K	C	C	1	71	594	712
8662	385 / 65	R	22.5	W958EVO	164	K	C	D	1	71	611	733
<b>17,5" / 19,5" FRONT/DRIVE</b>												
3905	10	R	17.5	VSX	134 / 132	L	D	E	2	71	318	382
70336	10	R	17.5	R180	134 / 132	L	D	D	1	67	318	382
9946	10	R	17.5	R180 M+S	134 / 132	L	D	D	1	67	318	382
4342	205 / 75	R	17.5	M729	124 / 122	M	D	E	2	72	225	270
50154	205 / 75	R	17.5	R227	124 / 122	M	C	D	1	68	225	270
50364	205 / 75	R	17.5	M788	124 / 122	M	C	F	1	69	225	270
8619	205 / 75	R	17.5	R227 M+S	124 / 122	M	C	D	1	68	225	270
50130	215 / 75	R	17.5	R227	126 / 124	M	C	D	1	69	234	281
8615	215 / 75	R	17.5	R227 M+S	126 / 124	M	C	D	1	69	234	281
50136	215 / 75	R	17.5	M729	126 / 124	M	C	F	2	74	234	281
50365	215 / 75	R	17.5	M788	126 / 124	M	C	E	1	68	234	281
50132	225 / 75	R	17.5	R227	129 / 127	M	C	D	2	72	257	308
8617	225 / 75	R	17.5	R227 M+S	129 / 127	M	C	D	2	72	257	308
50138	225 / 75	R	17.5	M729	129 / 127	M	C	E	2	74	257	308
50366	225 / 75	R	17.5	M788	129 / 127	M	C	E	1	70	257	308
50155	235 / 75	R	17.5	R227	132 / 130	M	C	C	2	71	280	336
8621	235 / 75	R	17.5	R227 M+S	132 / 130	M	C	C	2	71	280	336
50162	235 / 75	R	17.5	M729	132 / 130	M	C	F	2	74	280	336

											Hind km-ta	Hind km-ga
50272	245 / 70	R	17.5	R227	136 / 134	M	C	D	1	70	303	<b>363</b>
8625	245 / 70	R	17.5	R227 M+S	136 / 134	M	C	D	1	70	303	<b>363</b>
50273	245 / 70	R	17.5	M729	136 / 134	M	C	F	1	73	303	<b>363</b>
50274	265 / 70	R	17.5	R227	138 / 136	M	C	D	1	70	337	<b>404</b>
8627	265 / 70	R	17.5	R227 M+S	138 / 136	M	C	D	1	70	337	<b>404</b>
50275	265 / 70	R	17.5	M729	138 / 136	M	C	F	2	73	337	<b>404</b>
50169	245 / 70	R	19.5	M729	136 / 134	M	D	F	2	73	321	<b>386</b>
8623	245 / 70	R	19.5	R227 M+S	136 / 134	M	C	D	2	72	321	<b>386</b>
50126	265 / 70	R	19.5	R227	140 / 138	0	B	D	2	71	329	<b>395</b>
8611	265 / 70	R	19.5	R227 M+S	140 / 138	0	B	D	2	71	329	<b>395</b>
50140	265 / 70	R	19.5	M729	140 / 138	0	C	F	1	71	329	<b>395</b>
50367	265 / 70	R	19.5	M788	140 / 138	0	D	E	1	71	329	<b>395</b>
1360	285 / 70	R	19.5	M788	146 / 144	0	C	E	2	74	379	<b>455</b>
50160	285 / 70	R	19.5	M729	145 / 143	M	C	E	1	73	379	<b>455</b>
50353	285 / 70	R	19.5	R227	145 / 143	M	C	C	2	73	379	<b>455</b>
8629	285 / 70	R	19.5	R227 M+S	145 / 143	M	C	C	2	73	379	<b>455</b>
50128	305 / 70	R	19.5	R227	148 / 145	M	B	D	2	71	488	<b>586</b>
8613	305 / 70	R	19.5	R227 M+S	148 / 145	M	B	D	2	71	488	<b>586</b>
50134	305 / 70	R	19.5	M729	148 / 145	M	C	F	2	73	488	<b>586</b>
50395	305 / 70	R	19.5	R192	148 / 145	J	C	D	2	71	488	<b>586</b>
<b>17,5"/19,5" TRAILER</b>												
2999	205 / 80	R	15	R184	124 / 122	J	C	E	1	69	293	<b>351</b>
2973	7.50	R	15	R187	135 / 133	J	C	E	2	71	259	<b>310</b>
2974	8.25	R	15	R187	143 / 141	J	C	D	2	71	310	<b>371</b>
73242	10	R	17.5	M840	143 / 141	J	D	E	1	70	318	<b>382</b>
2942	205 / 65	R	17.5	R168	127 / 125	J	C	D	1	70	274	<b>329</b>
8599	205 / 65	R	17.5	R168 M+S	127 / 125	J	C	D	1	70	274	<b>329</b>
70136	215 / 75	R	17.5	R184	135 / 133	J	C	D	1	70	228	<b>274</b>
50427	215 / 75	R	17.5	R168	135 / 133	J	C	D	1	69	289	<b>347</b>
8600	215 / 75	R	17.5	R168 M+S	135 / 133	K	C	D	1	69	289	<b>347</b>
50428	235 / 75	R	17.5	R168	143 / 141	J	C	C	1	69	297	<b>356</b>
8602	235 / 75	R	17.5	R168 M+S	143 / 141	J	C	C	1	69	297	<b>356</b>
8596	245 / 70	R	17.5	R168 M+S	143 / 141	J	C	C	1	69	320	<b>384</b>
1749	9.5	R	17.5	R168	143 / 141	J	C	D	2	71	297	<b>356</b>
8594	9.5	R	17.5	R168 M+S	143 / 141	J	C	D	2	71	297	<b>356</b>
50490	435 / 50	R	19.5	R166	160	J	C	D	2	73	566	<b>679</b>
2443	245 / 70	R	19.5	R168	141 / 140	J	C	D	1	70	347	<b>416</b>
8598	245 / 70	R	19.5	R168 M+S	141 / 140	J	C	D	1	70	347	<b>416</b>
4866	265 / 70	R	19.5	M852	143 / 141	J	C	E	2	73	316	<b>379</b>
50429	265 / 70	R	19.5	R168	143 / 141	J	B	D	2	71	354	<b>425</b>
8604	265 / 70	R	19.5	R168 M+S	143 / 141	J	B	D	2	71	354	<b>425</b>
8597	285 / 70	R	19.5	R168 M+S	150 / 148	J	C	C	2	71	450	<b>540</b>
2243	285 / 70	R	19.5	R168	150 / 148	J	C	C	2	71	450	<b>540</b>