

TVS hinnakiri

Kehtib alates 13.03.2017.a.



Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
Põllumajandus- ja tööstusrehvid							
AGRI	215/75-17.5(8.5/75-17.5)	IM81		TL	12	84,7	101,6
AGRI	215/75-17.5(8.5/75-17.5)	IM81		TL	16	105,5	126,6
AGRI	225/75-17.5	IM90		TL	16	127,7	153,3
AGRI	235/75-17.5	IM81		TL	16	131,6	157,9
AGRI	285/70-19.5(11.0/70-19.5)	IM81		TL	12	178,4	214,0
AGRI	285/70-19.5(11.0/70-19.5)	IM81		TL	18	186,4	223,7
AGRI	425/55-19.5(17.0/55-19.5)	IM81		TL	16	328,1	393,7
COMPACTOR	11.00-20	CT09		TT	18	324,4	389,3
COMPACTOR	9.00-20	CT09		TT	16	248,9	298,6
COMPACTOR	23.1-26	TM09		TL	12	695,4	834,5
EARTH MOVER	14.00-25	EM18		TL	20	680,5	816,6
EARTH MOVER	14.00-25	EM18		TL	24	725,2	870,2
FARM	11L-15SL	I1		TL	8	65,9	79,0
FARM	11L-15SL	I1		TT	10	63,5	76,2
FARM	11L-15SL	I1		TL	10	71,6	85,9
FARM	11L-15SL	I1		TL	12	71,7	86,1
FARM	11L-15SL	F3		TL	10	101,1	121,3
FARM	11L-16SL	F3		TL	10	111,4	133,7
FARM	12.5L-15SL	I1		TL	10	92,8	111,3
FARM	12.5L-15SL	I1		TL	12	100,1	120,1
FARM	12.5L-16 SL	I1		TT	10	87,6	105,1
FARM	12.5L-16SL	I1		TL	10	91,9	110,3
FARM	12.5L-16SL	I1		TL	12	95,2	114,3
FARM	12.5L-16SL	I1		TL	14	100,4	120,5
FARM	9.5L-15SL	I1		TL	8	61,6	74,0
FARM	9.5L-15SL	I1		TL	12	65,1	78,1
FARM	7.50-16SL	I1		TT	8	61,4	73,6
FARM	9.00-16SL	I1		TT	10	82,4	98,9
FARM	11L-16SL F3	F3		TL	12	116,5	139,8
FLOTATION	400/55-22.5	FL09	146A8/134A8	TL	12	245,5	294,6
FLOTATION	400/55-22.5	FL09	152A8/140A8	TL	16	279,1	335,0
FLOTATION	500/45-20(19.5/45-20)	TC09	160A8	TL		332,1	398,5
FLOTATION	500/45-22.5	FL09	149A8/136A8	TL	12	287,9	345,5
FLOTATION	500/45-22.5	FL09	155A8/142A8	TL	16	319,7	383,6
FLOTATION	550/45-22.5	FL09	153A8/141A8	TL	12	354,8	425,8
FLOTATION	550/45-22.5	FL09	159A8/147A8	TL	16	397,7	477,2
FLOTATION	550/55-22.5(21.5/55-22.5)	TC09		TL	16	443,7	532,5
FLOTATION	550/60-22.5(21.5/60-22.5)	FL09	160A8/148A8	TL	12	456,0	547,2

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
FLOTATION	550/60-22.5(21.5/60-22.5)	FL09	167A8/154A8	TL	16	468,7	562,4
FLOTATION	550/60-22.5(21.5/60-22.5)	FL09(HFL)	160A8/148A8	TL	12	410,1	492,1
FLOTATION	550/60-22.5(21.5/60-22.5)	FL09(HFL)	167A8/154A8	TL	16	424,0	508,8
FLOTATION	500/60-22.5(19.5/60-22.5)	FL09	157A8/145A8	TL	12	425,0	510,0
FLOTATION	500/60-22.5(19.5/60-22.5)	FL09	163A8/151A8	TL	16	435,1	522,1
FLOTATION	500/60-22.5(19.5/60-22.5)	FL09(HFL)	157A8/145A8	TL	12	379,0	454,8
FLOTATION	500/60-22.5(19.5/60-22.5)	FL09(HFL)	163A8/151A8	TL	16	413,3	496,0
FLOTATION	500/60-22.5(19.5/60-22.5)	TC09S		TL	16	443,0	531,6
FLOTATION	600/40-22.5 (23.5/40-22.5)	TC09	169A8/173A6	TL		584,2	701,0
FLOTATION	18.00-22.5 (445/65-22.5)	TE09	163F	TL	16	513,4	616,0
FLOTATION	18-22.5(445/65-22.5)	TE09	168F	TL	20	598,9	718,6
FLOTATION	18-22.5(445/65-22.5)	MT90 MPT	163F	TL	16	503,1	603,8
FLOTATION	18-22.5(445/65-22.5)	MT90 MPT	166F	TL	18	546,7	656,0
FLOTATION	18-22.5(445/65-22.5)	MT90 MPT	168F	TL	20	576,9	692,3
FLOTATION	385/65-22.5	FL09		TL	16	254,7	305,7
FLOTATION	600/50-22.5(23.5/50-22.5)	FL09		TL	16	527,0	632,4
FLOTATION	700/40-22.5(27.5/40-22.5)	FL09		TL	16	584,7	701,7
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	124A6/119A8	TT	8	67,9	81,5
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	124A6/119A8	TL	8	75,4	90,5
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	128A6/123A8	TT	10	71,2	85,5
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	132A6/126A8	TL	10	76,5	91,8
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	132A6/126A8	TT	12	73,9	88,6
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	136A6/130A8	TL	12	81,3	97,6
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	136A6/130A8	TL	14	82,9	99,5
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18		TL	18	100,9	121,1
IMPLEMENT	10.0/75-15.3(255/75-15.3)	MT63		TL	8	108,1	129,7
IMPLEMENT	10.0/75-15.3(255/75-15.3)	MT63		TL	10	108,1	129,8
IMPLEMENT	10.0/75-15.3(255/75-15.3)	MT63		TL	14	113,8	136,6
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM117	124A6/119A8	TL	8	64,1	76,9
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM117	128A6/123A8	TL	10	64,3	77,1
IMPLEMENT	10.0/75-15.3 (255/75-15.3)	IM117	132A6/126A8	TL	12	72,9	87,5
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM117	136A6/130A8	TL	14	77,2	92,6
IMPLEMENT	10.0/75-15.3 (255/75-15.3)	IM117	140A6/137A8	TL	18	95,6	114,7
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TT	10	86,8	104,2
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TL	10	90,9	109,0
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TT	12	90,1	108,1
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TL	12	99,0	118,8
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TT	14	99,4	119,3
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TL	14	100,4	120,5
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TL	16	111,0	133,2
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM18		TL	18	114,3	137,2
IMPLEMENT	11.5/80-15.3(295/80-15.3) (SCANDINAVIAN)	IM18		TL	10	96,6	115,9
IMPLEMENT	11.5/80-15.3(295/80-15.3) (SCANDINAVIAN)	IM18		TL	12	98,9	118,7
IMPLEMENT	11.5/80-15.3(295/80-15.3) (SCANDINAVIAN)	IM18		TL	14	107,6	129,1
IMPLEMENT	11.5/80-15.3(295/80-15.3) (SCANDINAVIAN)	IM18		TL	16	110,9	133,1
IMPLEMENT	11.5/80-15.3(295/80-15.3) (SCANDINAVIAN)	IM18		TL	18	115,5	138,6
IMPLEMENT	11.5/80-15.3(295/80-15.3)	MT63T		TL	10	130,9	157,1

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
IMPLEMENT	11.5/80-15.3(295/80-15.3)	MT63T		TL	14	147,7	177,2
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM117		TL	10	83,6	100,3
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM117		TL	12	88,2	105,8
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM117		TL	14	91,9	110,3
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM117		TL	16	95,5	114,5
IMPLEMENT	11.5/80-15.3(295/80-15.3)	IM117		TL	18	100,0	120,0
IMPLEMENT	12.0/75-18(305/75-18)	MT63		TL	12	152,7	183,2
IMPLEMENT	12.5/80-18(335/80-18)	MT45		TL	12	184,8	221,8
IMPLEMENT	12.5/80-18 (335/80-18)	MT45		TL	14	189,3	227,1
IMPLEMENT	15.0/55-17(385/55-17)	IM36		TT	10	133,8	160,5
IMPLEMENT	15.0/55-17(385/55-17)	IM36		TL	10	134,9	161,9
IMPLEMENT	15.0/55-17(385/55-17)	IM36		TT	14	135,5	162,6
IMPLEMENT	15.0/55-17(385/55-17)	IM36		TL	14	135,9	163,1
IMPLEMENT	15.0/55-17(385/55-17)	IM36		TL	18	162,5	195,1
IMPLEMENT	15.0/55-17	IM126		TL	14	134,3	161,1
IMPLEMENT	10.5/65-16(265/65-16)	IM18		TT	10	76,9	92,3
IMPLEMENT	10.5/65-16(265/65-16)	IM18		TT	14	86,3	103,6
IMPLEMENT	10.5/65-16(265/65-16)	IM18		TL	14	96,3	115,6
IMPLEMENT	10.0/80-12(255/80-12)	IM18		TL	6	58,8	70,5
IMPLEMENT	10.0/80-12(255/80-12)	IM18		TL	18	58,9	70,7
IMPLEMENT	10.0/80-12(255/80-12)	IM18		TL	10	61,8	74,2
IMPLEMENT	10.0/80-12(255/80-12)	IM117		TL	6	53,5	64,2
IMPLEMENT	10.0/80-12(255/80-12)	IM117		TL	8	53,5	64,2
IMPLEMENT	10.0/80-12(255/80-12)	IM117		TL	10	54,3	65,1
IMPLEMENT	10.5/80-18(265/80-18)	MT45		TT	10	143,0	171,6
IMPLEMENT	10.5/80-18(265/80-18)	MT45		TL	10	144,3	173,1
IMPLEMENT	10.5/80-18 (265/80-16)	MT45		TL	14	148,0	177,6
IMPLEMENT	24*8.00-14.5(200/60-14.5)	IM09		TL	10	61,1	73,4
IMPLEMENT	24*8.00-14.5(200/60-14.5)	IM09		TL	14	65,0	77,9
IMPLEMENT	12.5/80-15.3(335/80-15.3)	IM27		TT	14	110,6	132,7
IMPLEMENT	12.5/80-15.3(335/80-15.3)	IM27		TL	14	116,5	139,8
IMPLEMENT	12.5/80-15.3(335/80-15.3)	IM27		TL	16	119,6	143,5
IMPLEMENT	31*15.5-15	HF09		TL	8	148,2	177,9
IMPLEMENT	13.0/55-16(330/55-16)	IM36		TL	12	128,0	153,6
IMPLEMENT	13.0/55-16(330/55-16)	IM36		TL	14	132,6	159,1
IMPLEMENT	13.0/55-16(330/55-16)	IM36		TL	18	155,0	186,0
IMPLEMENT	13.0/65-18(340/65-18)	IM36		TL	16	157,8	189,4
IMPLEMENT	400/15.5(400/60-15.5)	IM36	A6149/145A8	TL	14	164,7	197,7
IMPLEMENT	400/15.5(400/60-15.5)	IM36		TL	10	150,8	181,0
IMPLEMENT	400/15.5(400/60-15.5)	IM36		TT	14	165,0	198,0
IMPLEMENT	400/15.5(400/60-15.5)	IM36		TL	14	164,7	197,6
IMPLEMENT	400-15.5(400/60-15.5)	IM36		TL	18	173,3	207,9
IMPLEMENT	400/15.5(400/60-15.5)	IM36		TL	22	182,0	218,4
IMPLEMENT	400/15.5(400/60-15.5) (SCANDINAVIAN)	IM36		TL	10	151,1	181,3
IMPLEMENT	400/15.5(400/60-15.5) (SCANDINAVIAN)	IM36		TL	14	166,0	199,2
IMPLEMENT	400-15.5(400/60-15.5) (SCANDINAVIAN)	IM36		TL	18	173,6	208,3
IMPLEMENT	400-15.5(400/60-15.5) (SCANDINAVIAN)	IM36		TL	22	185,1	222,1

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
IMPLEMENT	400/15.5(400/60-15.5)	IM72		TT	14	150,9	181,1
IMPLEMENT	400/15.5(400/60-15.5)	IM72		TL	14	152,0	182,3
IMPLEMENT	400/15.5(400/60-15.5)	IM72		TL	22	181,2	217,5
IMPLEMENT	400/15.5(400/60-15.5) (SCANDINAVIAN)	IM72		TL	14	167,0	200,4
IMPLEMENT	400/15.5(400/60-15.5)	IM72		TL	18	167,3	200,7
IMPLEMENT	400/15.5(400/60-15.5)	IM126	A6143/A8136	TL	10	130,7	156,8
IMPLEMENT	400/15.5(400/60-15.5)	IM126	A6149/A8143	TL	14	136,1	163,3
IMPLEMENT	400/15.5(400/60-15.5)	IM126	A6155/A8151	TL	18	148,6	178,3
IMPLEMENT	400/15.5(400/60-15.5)	IM126	A6159/A8155	TL	22	160,4	192,4
IMPLEMENT	400/15.5(400-60-15.5) (SCANDINAVIAN)	IM126	A6143/A8136	TL	10	139,1	166,9
IMPLEMENT	400/15.5(400-60-15.5) (SCANDINAVIAN)	IM126	A6149/A8143	TL	14	146,0	175,2
IMPLEMENT	400/15.5(400-60-15.5) (SCANDINAVIAN)	IM126	A6155/A8151	TL	18	157,3	188,8
IMPLEMENT	400/15.5(400-60-15.5) (SCANDINAVIAN)	IM126	A6159/A8155	TL	22	169,1	202,9
IMPLEMENT	500/50-17(19.5/50-17)	IM36		TT	14	240,7	288,9
IMPLEMENT	500/50-17(19.5/50-17)	IM36		TL	14	247,5	297,0
IMPLEMENT	500/50-17(19.5/50-17)	IM36		TT	18	254,4	305,3
IMPLEMENT	500/50-17(19.5/50-17)	IM36		TL	18	260,3	312,4
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM36		TT	14	256,8	308,1
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM36		TL	14	265,3	318,4
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM36		TT	18	270,8	324,9
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM36		TL	18	280,1	336,1
IMPLEMENT	500/50-17(19.5/50-17)	IM72		TT	14	250,1	300,1
IMPLEMENT	500/50-17(19.5/50-17)	IM72		TL	14	250,0	299,9
IMPLEMENT	500/50-17(19.5/50-17)	IM72		TT	18	265,8	318,9
IMPLEMENT	500/50-17(19.5/50-17)	IM72		TL	18	277,6	333,1
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM72		TT	14	263,0	315,7
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM72		TL	14	264,8	317,8
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM72		TT	18	275,5	330,6
IMPLEMENT	500/50-17(19.5/50-17) (SCANDINAVIAN)	IM72		TL	18	277,7	333,2
IMPLEMENT	500/50-17(19.5/50-17)	IM126		TL	14	208,8	250,6
IMPLEMENT	6.00-16	IM18		TT	6	42,7	51,2
IMPLEMENT	19.0/45-17(485/45-17)	IM36		TL	10	197,3	236,7
IMPLEMENT	19.0/45-17(485/45-17)	IM36		TL	14	210,1	252,1
IMPLEMENT	19.0/45-17(485/45-17)	IM36		TL	18	210,4	252,5
IMPLEMENT	19.0/45-17(485/45-17)	IM36		TL	20	222,6	267,1
IMPLEMENT	19.0/45-17(485/45-17) (SCANDINAVIAN)	IM36		TL	10	215,2	258,2
IMPLEMENT	19.0/45-17(485/45-17) (SCANDINAVIAN)	IM36		TL	14	219,4	263,2
IMPLEMENT	19.0/45-17(485/45-17) (SCANDINAVIAN)	IM36		TL	18	230,2	276,2
IMPLEMENT	19.0/45-17(485/45-17) (SCANDINAVIAN)	IM36		TL	20	242,5	291,0
IMPLEMENT	12.5/80-18	IM45		TL	12	180,5	216,6
IMPLEMENT	12.5/80-18	IM45		TL	16	197,4	236,8
IMPLEMENT	10.5/80-18	IM45		TL	10	141,4	169,6
IMPLEMENT	15.0/70-18	IM36		TL	14	197,9	237,4
IMPLEMENT	16.0/70-20(405/70-20)	IM36		TL	12	225,6	270,8
IMPLEMENT	16.0/70-20(405/70-20)	IM36		TL	16	250,4	300,5
IMPLEMENT	7.00-12	IM18		TL	6	43,2	51,8
IMPLEMENT	10.0/75-15.3(255/75-15.3)	IM18	136A6/130A6	TT	14	89,2	107,0

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
IMPLEMENT	31X15.50-15	HF18		TL	8	141,5	169,8
IMPLEMENT	31X15.50-15	HF27		TL	8	141,5	169,8
IMPLEMENT	400/15.5 (400/60-15.5)	IM126	153A6/149A6	TL	16	145,8	174,9
IMPLEMENT	500/50-17 (19.5/50-17)	IM72		TL	16	243,9	292,6
IMPLEMENT	500/50-17 (19.5/50-17)	IM72		TL	18	224,5	269,4
IMPLEMENT	500/50-17 (19.5/50-17)	IM36	149A8	TL	14	244,8	293,7
INDUSTRIAL	10.00-20	IT30		TT	16	388,2	465,8
INDUSTRIAL	10.00-20	IT30		TT	20	392,2	470,6
INDUSTRIAL	10-16.5	IT30		TL	10	149,2	179,0
INDUSTRIAL	12.00-20	IT30		TT	16	444,3	533,2
INDUSTRIAL	12.00-20	IT30		TT	18	444,5	533,4
INDUSTRIAL	12.00-20	IT30		TT	20	444,6	533,5
INDUSTRIAL	12.00-20	IT30		TT	24	463,0	555,6
INDUSTRIAL	16*6-8	IT30		TT	18	49,1	58,9
INDUSTRIAL	21*8-9	IT30		TT	16	90,1	108,1
INDUSTRIAL	21*8-9	IT30		TT	18	92,7	111,3
INDUSTRIAL	23*10.1-12	IT30		TT	18	129,7	155,6
INDUSTRIAL	23*10.1-12	IT30		TT	22	142,3	170,7
INDUSTRIAL	23*9-10	IT30		TT	18	106,6	128,0
INDUSTRIAL	23*9-10	IT30		TT	20	112,2	134,7
INDUSTRIAL	23*9-10	IT30		TT	22	125,6	150,7
INDUSTRIAL	23*9-10	IT45		TT	20	117,7	141,2
INDUSTRIAL	250-15	IT30		TT	16	160,0	192,0
INDUSTRIAL	250-15	IT30		TT	20	184,7	221,6
INDUSTRIAL	250-15	IT45		TT	16	143,5	172,3
INDUSTRIAL	250-15	IT45		TT	20	153,0	183,6
INDUSTRIAL	250-15 F	IT30		TT	16	158,9	190,7
INDUSTRIAL	27*10-12	IT30		TT	16	135,7	162,9
INDUSTRIAL	27*10-12	IT30		TT	20	146,3	175,5
INDUSTRIAL	28*12.5-15	IT30		TT	24	224,7	269,6
INDUSTRIAL	300-15	IT30		TT	16	216,9	260,3
INDUSTRIAL	300-15	IT30		TT	20	245,5	294,6
INDUSTRIAL	300-15	IT45		TT	16	188,7	226,4
INDUSTRIAL	300-15	IT45		TT	20	199,6	239,5
INDUSTRIAL	32*12.1-15	IT30		TT	24	291,5	349,8
INDUSTRIAL	5.00-8	IT30		TT	8	39,7	47,6
INDUSTRIAL	5.00-8	IT30		TT	12	44,6	53,5
INDUSTRIAL	5.00-8	IT45		TT	8	31,9	38,2
INDUSTRIAL	5.00-8	IT45		TT	10	33,6	40,3
INDUSTRIAL	6.00-9	IT30		TT	10	57,7	69,3
INDUSTRIAL	6.00-9	IT30		TT	14	58,9	70,6
INDUSTRIAL	6.00-9	IT45		TT	10	52,5	63,0
INDUSTRIAL	6.00-9	IT45		TT	12	54,8	65,8
INDUSTRIAL	6.00-9 (EU)	IT45		TT	10	52,5	63,0
INDUSTRIAL	6.00-9 (EU)	IT45		TT	12	56,8	68,2
INDUSTRIAL	6.50-10	IT30		TT	10	69,4	83,3
INDUSTRIAL	6.50-10	IT30		TT	12	69,7	83,6

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
INDUSTRIAL	6.50-10	IT30		TT	14	71,6	85,9
INDUSTRIAL	6.50-10	IT45		TT	10	65,2	78,2
INDUSTRIAL	6.50-10 (EU)	IT45		TT	10	62,0	74,4
INDUSTRIAL	6.50-10 (EU)	IT45		TT	14	64,2	77,0
INDUSTRIAL	7.00-12	IT30		TT	12	94,2	113,1
INDUSTRIAL	7.00-12	IT45		TT	12	82,5	99,0
INDUSTRIAL	7.00-12	IT45		TT	14	83,4	100,1
INDUSTRIAL	7.00-12	IT30		TT	16	98,3	117,9
INDUSTRIAL	7.00-12 (EU)	IT45		TT	12	82,6	99,1
INDUSTRIAL	7.00-12 (EU)	IT45		TT	14	83,5	100,2
INDUSTRIAL	7.00-15	IT30		TT	10	99,1	118,9
INDUSTRIAL	7.00-15	IT30		TT	12	116,8	140,2
INDUSTRIAL	7.00-15	IT30		TT	16	118,8	142,5
INDUSTRIAL	7.00-15 C	LS24		TT	6	65,9	79,1
INDUSTRIAL	7.50-15	IT30		TT	14	128,5	154,2
INDUSTRIAL	7.50-15	IT30		TT	16	135,4	162,5
INDUSTRIAL	7.50-15	IT45		TT	16	126,1	151,4
INDUSTRIAL	8.15-15	IT45		TT	12	121,4	145,7
INDUSTRIAL	8.15-15	IT45		TT	14	122,5	146,9
INDUSTRIAL	28*9-15/8.15-15	IT30 F		TT	12	124,8	149,8
INDUSTRIAL	28*9-15/8.15-15	IT30 F		TT	14	128,0	153,6
INDUSTRIAL	28*9-15/8.15-15	IT30 F		TT	16	128,2	153,8
INDUSTRIAL	8.25-15	IT30		TT	14	175,2	210,2
INDUSTRIAL	8.25-15	IT30		TT	16	185,9	223,1
INDUSTRIAL	8.25-15	IT45		TT	14	149,0	178,9
INDUSTRIAL	18*7-8	IT30		TT	16	52,4	62,8
INDUSTRIAL	18*7-8	IT30		TT	18	56,3	67,5
INDUSTRIAL	18*7-8	IT45		TT	16	49,3	59,2
INDUSTRIAL	27*10-12	IT30		TT	24	153,8	184,6
INDUSTRIAL	8.25-15	IT45		TT	16	148,0	177,6
LAWN & GARDEN	26*12.00-12 (TURF)	LG06		TL	4	67,7	81,3
LAWN & GARDEN	26*12.00-12 (TURF)	LG06		TL	8	68,4	82,1
LAWN & GARDEN	26*12.00-12 (TURF)	LG06		TL	10	67,7	81,3
LAWN & GARDEN	26*12.00-12 (TURF)	LG06		TL	12	81,1	97,3
LAWN & GARDEN	26*12.00-12 (TRAC)	LG15		TL	4	78,5	94,2
LAWN & GARDEN	26*12.00-12 (TRAC)	LG15		TL	8	78,8	94,5
LAWN & GARDEN	26*12.00-12 (TRAC)	LG15		TL	10	78,9	94,7
LAWN & GARDEN	26X12.00-12 (TRAC)	LG15		TL	12	90,9	109,1
LAWN & GARDEN	7.00-16	LT18		TT	12	91,8	110,2
LAWN & GARDEN	7.50-16 EUROGRIP	LT01		TT	12	112,2	134,7
LAWN & GARDEN	7.50-16 EUROGRIP	LT01		TT	14	112,7	135,3
LAWN & GARDEN	7.50-16 EUROGRIP	LT01		TT	16	113,5	136,2
LAWN & GARDEN	9.00-16	TT09	137A6	TT	16	167,9	201,5
LAWN & GARDEN	23 X 10.50-12	LG09		TL	6	44,3	53,1
LAWN & GARDEN	23 X 10.50-12	LG18		TL	6	46,3	55,6
LAWN & GARDEN	23 X 10.50-12	LG09		TL	8	51,2	61,4
LAWN & GARDEN	23 X 10.50-12	LG18		TL	8	53,2	63,9

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
LAWN & GARDEN	23 X 8.50-12	LG09		TL	6	39,7	47,7
LAWN & GARDEN	23 X 8.50-12	LG18		TL	6	36,9	44,3
LAWN & GARDEN	23 X 8.50-12	LG09		TL	8	40,9	49,1
LAWN & GARDEN	23 X 8.50-12	LG18		TL	8	43,3	52,0
LAWN & GARDEN	26 X 12.00-12	LG18		TL	12	81,2	97,4
LAWN & GARDEN	26 X 12.00-12	LG18		TL	4	63,9	76,6
LAWN & GARDEN	26 X 12.00-12	LG18		TL	8	72,9	87,5
LAWN & GARDEN	26 X 12.00-12	LG09		TL	12	84,9	101,9
LAWN & GARDEN	26 X 12.00-12	LG09		TL	4	67,1	80,6
LAWN & GARDEN	26 X 12.00-12	LG09		TL	8	76,8	92,1
LIGHT TRUCK	7.00-16	LT18		TT	14	98,0	117,5
MINING	12.00-20 NHS	MI09		TT	20	497,6	597,1
MOTOR GRADER	13.00-24 TG	TG09		TT	12	278,1	333,7
MOTOR GRADER	13.00-24 TG	TG09		TL	12	287,5	345,0
MOTOR GRADER	13.00-24 TG	TG09		TT	14	287,7	345,2
MOTOR GRADER	13.00-24 TG	TG09		TL	14	296,4	355,7
MOTOR GRADER	13.00-24 TG	TG09		TT	16	302,3	362,7
MOTOR GRADER	13.00-24 TG	TG09		TL	16	307,2	368,7
MOTOR GRADER	14.00-24 TG	TG09		TT	12	342,7	411,3
MOTOR GRADER	14.00-24 TG	TG09		TL	12	350,9	421,1
MOTOR GRADER	14.00-24 TG	TG09		TT	14	342,0	410,4
MOTOR GRADER	14.00-24 TG	TG09		TL	14	355,9	427,1
MOTOR GRADER	14.00-24 TG	TG09		TT	16	360,3	432,4
MOTOR GRADER	14.00-24 TG	TG09		TL	16	371,3	445,5
MOTOR GRADER	16.00-24 TG	TG09		TT	16	544,4	653,3
MOTOR GRADER	16.00-24 TG	TG09		TL	16	547,9	657,4
MPT	10.00-20	MT54		TT	16	225,1	270,1
MPT	10.00-20	MT54		TT	18	241,1	289,3
MPT	11.00-20	MT54		TT	16	231,5	277,8
MPT	10.5-18	MT63		TL	8	141,1	169,4
MPT	10.5-18 (E4)	MT63		TL	10	148,8	178,6
MPT	10.5-20(275/80-20)	MT54		TL	10	147,0	176,4
MPT	12.5-20(335/80-20)	MT54		TL	12	230,9	277,1
MPT	12.5-18(335/80-18)	MT54		TL	10	199,6	239,5
MPT	12.5-18(335/80-18)	MT54		TL	12	199,7	239,6
MPT	12.5-18(335/80-18)	MT54		TL	14	199,8	239,8
MPT	12.5-18(335/80-18)	MT63		TL	10	206,8	248,2
MPT	12.5-18(335/80-18)	MT63		TT	12	201,9	242,3
MPT	12.5-18(335/80-18)	MT63		TL	12	207,2	248,7
MPT	12.5-18(335/80-18)	MT63		TL	14	219,1	262,9
MPT	12.5-18(335/80-18)	MT63		TL	16	219,4	263,3
MPT	14.5-20(365/80-20)	MT54		TL	12	243,6	292,3
MPT	14.5-20(365/80-20)	MT54		TL	14	263,9	316,7
MPT	405/70-20(16/70-20) HD	MT54	145G	TL	14	360,3	432,4
MPT	405/70-20(16/70-20) (E4)	MT54	145G	TL	14	300,1	360,1
MPT	405/70-20 (16/70-20)	MT54	149G	TL	16	370,7	444,8
MPT	405/70-20(16/70-20) (E4)	MT63	145G	TL	14	327,7	393,3

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
MPT	405/70-20(16.0/70-20) (E4)	MT72	145G	TL	14	324,9	389,9
MPT	405/70-24(16/70-24) (E4)	MT54	148G	TL	14	379,1	455,0
MPT	405/70-24(16/70-24) (E4)	MT63	148G	TL	14	405,8	487,0
MPT	405/70-24(16/70-24) (E4)	MT72	148G	TL	14	377,5	453,0
MPT	18-19.5(445/65-19.5) (E4)	MT63L	160G	TL	16	361,0	433,1
MPT	18-19.5(445/65-19.5)	MT63L	163G	TL	18	375,3	450,4
MPT	8.25*20	MT54		TT	14	169,8	203,8
MPT	9.00-20	MT54		TT	14	203,1	243,7
MPT	405/70-20(16/70-20) HD	MT54	145G	TL	14	355,3	426,4
OTR	14.00-24	EM18		TL	28	740,6	888,7
OTR	15.5-25	GL09		TL	12	342,8	411,3
OTR	16.00-25	EM18		TL	32	1124,4	1349,3
OTR	17.5-25	GL09		TL	12	426,0	511,2
OTR	17.5-25	GL09		TL	16	441,1	529,3
OTR	17.5-25	GL09		TL	20	521,5	625,8
OTR	20.5-25	EL09		TL	20	1104,3	1325,2
OTR	14.00-24	EM18		TL	20	697,1	836,6
OTR	14.00-24	EM18		TL	24	719,0	862,8
OTR	16.00-25	EM18		TL	28	1109,9	1331,9
OTR	20.5-25	EL09		TL	16	1017,7	1221,3
REAPER	18*7.0-8	RP09		TT	2	26,7	32,0
SKIDSTEER	10-16.5	ST30		TL	6	102,1	122,6
SKIDSTEER	10-16.5	ST30		TL	8	102,3	122,8
SKIDSTEER	10-16.5	ST30		TL	10	105,3	126,3
SKIDSTEER	10-16.5 (HIWALL)	ST45		TL	8	87,9	105,5
SKIDSTEER	10-16.5 (HIWALL)	ST45		TL	10	89,5	107,4
SKIDSTEER	12-16.5	ST30		TL	8	161,5	193,8
SKIDSTEER	12-16.5	ST30		TL	10	163,7	196,5
SKIDSTEER	12-16.5	ST30		TL	12	164,1	196,9
SKIDSTEER	12 x 16.5	IT30		TL	14	195,7	234,8
SKIDSTEER	12-16.5 (HIWALL)	ST45		TL	10	119,3	143,2
SKIDSTEER	12-16.5	ST30F		TL	8	139,8	167,8
SKIDSTEER	12-16.5	ST30F		TL	10	140,5	168,6
SKIDSTEER	12-16.5	ST30F		TL	12	140,8	169,0
SKIDSTEER	14-17.5	ST30		TL	14	244,9	293,9
SKIDSTEER	15-19.5	ST30		TL	14	305,7	366,8
SKIDSTEER	23*8.50-12	ST30		TL	6	61,1	73,4
SKIDSTEER	23*8.50-12	ST30		TL	8	62,1	74,5
SKIDSTEER	23*8.50-12	ST30		TL	12	63,5	76,2
SKIDSTEER	27*10.5-15	ST30		TL	8	79,9	95,9
SKIDSTEER	27*10.5-15	ST30		TL	12	83,3	100,0
SKIDSTEER	27*8.50-15	ST30		TL	6	67,0	80,4
SKIDSTEER	27*8.50-15	ST30		TL	8	68,8	82,6
SKIDSTEER	29*12.5-15	HF09		TL	6	100,4	120,5
SKIDSTEER	31*15.5-15	ST30		TL	10	176,8	212,2
SKIDSTEER	31.5*13-16.5	ST30		TL	10	151,0	181,3
SKIDSTEER	33*15.5-16.5	ST30		TL	12	193,8	232,5

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
SKIDSTEER	12-16.5 (HIWALL)	ST45		TL	12	117,9	141,4
SKIDSTEER	12-16.5	IT30		TL	12	200,4	240,4
SMALL TRACTOR	10.0/75-15.3(255/75-15.3)	TS09S	124A6/119A8	TL	8	95,2	114,3
SMALL TRACTOR	10.0/75-15.3(255/75-15.3)	TS09S	128A6/123A8	TL	10	98,0	117,6
SMALL TRACTOR	11.5/80-15.3 (295/80-15.3)	IM45		TL	8	124,9	149,9
SMALL TRACTOR	11.5/80-15.3 (295/80-15.3)	IM45		TL	10	125,2	150,3
SMALL TRACTOR	11.5/80-15.3 (295/80-15.3)	IM45		TL	14	140,5	168,6
SMALL TRACTOR	15.0/55-17 (385/55-17)	IM45		TL	10	148,8	178,5
SMALL TRACTOR	15.0/55-17 (385/55-17)	IM45		TL	14	159,5	191,4
SMALL TRACTOR	15.0/55-17 (385/55-17)	IM45		TL	18	171,9	206,3
SMALL TRACTOR	11.0/65-12	IM45		TT	6	73,8	88,6
SMALL TRACTOR	11.0/65-12	IM45		TL	6	74,5	89,4
SMALL TRACTOR	11.0/65-12	IM45		TT	8	76,0	91,2
SMALL TRACTOR	11.0/65-12	IM45		TL	8	76,7	92,0
SMALL TRACTOR	27*10-15.3	IM45		TT	8	85,3	102,4
SMALL TRACTOR	27*10-15.3	IM45		TL	8	88,2	105,8
SMALL TRACTOR	3.50-8	IM63		TT	2	10,3	12,3
SMALL TRACTOR	4.00-8	IM45		TT	2	11,5	13,9
SMALL TRACTOR	4.00-10	IM45		TT	2	15,1	18,1
SMALL TRACTOR	4.00-10	IM45		TT	4	15,3	18,3
SMALL TRACTOR	4.00-12	IM45		TT	2	17,3	20,8
SMALL TRACTOR	4.50-19	IM45		TT	4	40,3	48,3
SMALL TRACTOR	5.00-10	IM54		TT	2	23,1	27,7
SMALL TRACTOR	5.00-10	IM54		TT	4	23,2	27,8
SMALL TRACTOR	5.00-12	IM45		TT	2	24,7	29,7
SMALL TRACTOR	5.00-12	IM45		TT	4	24,8	29,7
SMALL TRACTOR	5.00-15	IM45		TT	4	39,8	47,8
SMALL TRACTOR	5.00-15	IM45		TT	6	40,8	49,0
SMALL TRACTOR	6.00-16	IM45		TT	6	51,8	62,2
SMALL TRACTOR	6.50-16	IM108		TT	6	59,6	71,5
SMALL TRACTOR	6.50-16	IM108		TL	6	63,8	76,6
SMALL TRACTOR	6.50-16	IM108		TT	8	61,2	73,5
SMALL TRACTOR	6.50-16	IM108		TL	8	65,8	79,0
SMALL TRACTOR	6.5/80-12 (165/80-12)	IM54		TT	4	37,7	45,3
SMALL TRACTOR	6.5/80-12 (165/80-12)	IM54		TT	6	38,7	46,4
SMALL TRACTOR	6.5/80-12 (165/80-12)	IM54		TL	6	45,2	54,2
SMALL TRACTOR	6.50/80-15 (165/80-15)	IM99		TT	4	42,0	50,4
SMALL TRACTOR	6.5/80-15 (165/80-15)	IM99		TT	6	45,2	54,2
SMALL TRACTOR	7.00-12	IM45		TL	6	56,8	68,2
SMALL TRACTOR	7.50-20	IM45		TT	8	89,2	107,1
SMALL TRACTOR	7.50-16	IM54		TT	8	65,2	78,2
SMALL TRACTOR	7.50-18	IM45		TT	8	70,6	84,7
SMALL TRACTOR	8.25-16	IM54		TL	6	86,2	103,4
SMALL TRACTOR	8.25-16 8	IM54		TL	8	88,2	105,8
SMALL TRACTOR	8.0/75-15	IM45		TT	6	64,3	77,1
SMALL TRACTOR	8.0/75-15	IM45		TL	6	65,0	78,0
SMALL TRACTOR	9.5-20	IM45		TT	6	104,2	125,0

Rehvi mõõt	Muster	LI/SS	TL/ TT	PR	Hind km-ta	Hind km-ga	
TRACTOR FRONT	10.00-16SL (3RIB)	F-2		TT	8	113,2	135,9
TRACTOR FRONT	10.00-16SL (3RIB)	F-2		TL	8	119,3	143,2
TRACTOR FRONT	10.00-16SL (3RIB)	F-2		TL	8	109,4	131,3
TRACTOR FRONT	11.00-16SL (3RIB)	F-2		TT	8	137,1	164,5
TRACTOR FRONT	11.00-16SL (3RIB)	F-2		TL	8	144,4	173,2
TRACTOR FRONT	11.00-16SL (3RIB)	F-2		TT	12	149,7	179,6
TRACTOR FRONT	11.00-16SL (4RIB)	F2		TL	8	136,8	164,1
TRACTOR FRONT	11.00-16SL (4 RIB)	F2		TL	12	140,1	168,1
TRACTOR FRONT	5-12	PT09		TT	4	30,6	36,7
TRACTOR FRONT	6.00-12 POWER TILLER	PT09			4	44,1	52,9
TRACTOR FRONT	6.00-12	PT09F		TT	4	43,9	52,6
TRACTOR FRONT	6.00-12	PT09F		TT	6	44,3	53,1
TRACTOR FRONT	6.00-16	F-2		TT	6	42,9	51,4
TRACTOR FRONT	6.00-16	TF01		TT	6	58,2	69,9
TRACTOR FRONT	6.00-16 TRACTOR FRONT	TF01			8	59,5	71,3
TRACTOR FRONT	6.50-16	F-2		TT	6	48,5	58,2
TRACTOR FRONT	7.50-16	TF09		TT	6	78,1	93,7
TRACTOR FRONT	11.00-16SL (3RIB)	F-2		TL	12	150,5	180,6
TRACTOR FRONT	6.00-12	PT18		TT	4	43,0	51,6
TRACTOR FRONT	6.00-16	F-2		TT	8	47,7	57,3
TRACTOR INDUSTRIAL	21L-24	TI09		TL	12	527,5	633,0
TRACTOR INDUSTRIAL	14.9-24(380/85-24)	TI09		TL	12	328,3	394,0
TRACTOR INDUSTRIAL	15.5/80-24(400/80-24)	IM54		TL	12	373,6	448,3
TRACTOR INDUSTRIAL	15.5/80-24(400/80-24)	IM54		TL	14	388,2	465,8
TRACTOR INDUSTRIAL	15.5/80-24(400/80-24)	IM54		TL	16	388,6	466,4
TRACTOR INDUSTRIAL	15.5/80-24(400/80-24) HD	IM54		TL	14	404,7	485,7
TRACTOR INDUSTRIAL	15.5/80-24(400/80-24) HD	IM54		TL	16	404,8	485,7
TRACTOR INDUSTRIAL	16.9-28(430/85-28)	TI09		TT	12	440,7	528,9
TRACTOR INDUSTRIAL	16.9-28(430/85-28)	TI09		TL	12	452,1	542,5
TRACTOR INDUSTRIAL	16.9-28(430/85-28)	TI09		TT	14	452,3	542,7
TRACTOR INDUSTRIAL	16.9-28 (430/85-28)	TI09		TL	14	455,9	547,1
TRACTOR INDUSTRIAL	17.5L-24	TI09		TL	12	378,3	453,9
TRACTOR INDUSTRIAL	18.4-26 (465/85-26)	TI09		TT	12	486,5	583,8
TRACTOR INDUSTRIAL	18.4-26 (465/85-26)	TI09		TL	12	488,4	586,0
TRACTOR INDUSTRIAL	19.5L-24 (495/75-24)	TI09		TL	12	462,9	555,5
TRACTOR REAR	12.4-28	TR09		TT	8	275,8	330,9
TRACTOR REAR	12.4-28	TR09		TT	12	277,5	333,0
TRACTOR REAR	16.9-28 (430/85-28)	TR09		TT	8	418,6	502,3
TRACTOR REAR	16.9-28 (430/85-28)	TR09		TL	8	421,0	505,2
TRACTOR REAR	16.9-28 (430/85-28)	TR09		TT	12	442,4	530,9
TRACTOR REAR	16.9-28 (430/85-28)	TR09		TL	12	455,2	546,3
TRACTOR REAR	8-18	TR18		TT	4	96,1	115,3