

ÖZKA hinnakiri

Kehtib alates 16.04.2018 a.



Kood	Rehvi mõõt	Muster	LI/SI	TL/TT	PR	Kaal	Hind km-ta	Hind km-ga	
	Traktori esirehvid								
3102	6.00-16	KNK30	88	A6	TT	6	9,9	48,6	58,3
3103	6.00-16	KNK30	93	A6	TT	8	10,0	54,0	64,8
3202	6.50-16	KNK30	91	A6	TT	6	11,2	60,4	72,5
3203	6.50-16	KNK30	97	A6	TT	8	11,3	67,0	80,4
3402	7.50-16	KNK30	98	A6	TT	6	13,8	69,2	83,0
3403	7.50-16	KNK30	103	A6	TT	8	13,9	76,3	91,6
3412	7.50-16	KNK32	98	A6	TT	6	13,8	69,2	83,0
3413	7.50-16	KNK32	103	A6	TT	8	13,9	76,3	91,6
3513	7.50-18	KNK32	106	A6	TT	8	16,0	84,9	101,9
3552	6.50-20	KNK32	97	A6	TT	6	14,4	83,7	100,4
3553	6.50-20	KNK32	102	A6	TT	8	14,4	88,0	105,6
3602	7.50-20	KNK32	103	A6	TT	6	17,0	93,5	112,2
3603	7.50-20	KNK32	108	A6	TT	8	16,8	98,7	118,4
3132	6.00-16	KNK33	88	A6	TT	6	9,9	48,6	58,3
3133	6.00-16	KNK33	93	A6	TT	8	10,0	54,0	64,8
3232	6.50-16	KNK33	91	A6	TT	6	11,2	60,4	72,5
3233	6.50-16	KNK33	97	A6	TT	8	11,3	67,0	80,4
3472	7.50-16	KNK33	98	A6	TT	6	13,9	69,2	83,0
3473	7.50-16	KNK33	103	A6	TT	8	13,9	76,3	91,6
3542	6.00-19	KNK33	93	A6	TT	6	11,0	58,1	69,8
3052	5.50-16	KNK35	86	A6	TT	6	9,3	46,0	55,2
3053	5.50-16	KNK35	91	A6	TT	8	9,5	51,1	61,3
3112	6.00-16	KNK35	88	A6	TT	6	9,9	48,6	58,3
3113	6.00-16	KNK35	93	A6	TT	8	10,0	54,0	64,8
3212	6.50-16	KNK35	91	A6	TT	6	11,2	59,4	71,3
3213	6.50-16	KNK35	97	A6	TT	8	11,3	65,9	79,0
3432	7.50-16	KNK35	98	A6	TT	6	13,8	68,0	81,6
3433	7.50-16	KNK35	103	A6	TT	8	13,9	75,0	90,0
3463	9.00-16	KNK35	111	A6	TT	8	23,4	113,5	136,3
3483	10.00-16	KNK35	115	A6	TT	8	25,6	122,9	147,5
3493	11.00-16	KNK35	118	A6	TT	8	30,6	165,6	198,8
3502	7.50-18	KNK35	101	A6	TT	6	16,6	77,1	92,5
3503	7.50-18	KNK35	106	A6	TT	8	17,0	85,2	102,2
3003	7.50-15	KNK50	99	A6	TT	8	13,0	81,5	97,8
3122	6.00-16	KNK50	88	A6	TT	6	9,9	53,6	64,3
3123	6.00-16	KNK50	93	A6	TT	8	10,0	58,6	70,4
3222	6.50-16	KNK50	91	A6	TT	6	11,3	69,0	82,8
3223	6.50-16	KNK50	97	A6	TT	8	11,5	75,1	90,1

Kood	Rehvi mõõt	Muster	LI/SI	TL/TT	PR	Kaal	Hind km-ta	Hind km-ga	
3423	7.50-16	KNK50	103	A6	TT	8	13,9	84,7	101,6
3453	280/70-16	KNK50			TL	8	14,7	120,3	144,4
3523	7.50-18	KNK50	106	A6	TT	8	14,7	91,9	110,2
3623	7.50-20	KNK50	108	A6	TT	8	16,3	104,2	125,1
3653	9.5-20	KNK50	106	A6	TT	8	21,7	137,7	165,2
3663	9.5-20	KNK50	106	A6	TL	8	24,5	148,1	177,7
3673	11.2-20	KNK50	113	A6	TT	8	28,9	184,7	221,6
3683	11.2-20	KNK50	113	A6	TL	8	31,9	196,5	235,8
	Traktori veorehvid								
5002	8.3-24	KNK50	105	A6	TT	6	20,5	133,2	159,9
5003	8.3-24	KNK50	108	A6	TT	8	20,7	145,3	174,4
5102	9.5-24	KNK50	110	A6	TT	6	26,8	151,1	181,3
5103	9.5-24	KNK50	116	A6	TT	8	27,1	163,6	196,4
5112	11.2-24	KNK50	110	A6	TT	6	32,6	181,5	217,8
5113	11.2-24	KNK50	116	A6	TT	8	32,8	194,2	233,0
5115	11.2-24	KNK50	122	A6	TT	12	36,4	209,6	251,5
5122	12.4-24	KNK50	115	A6	TT	6	39,7	205,6	246,7
5123	12.4-24	KNK50	118	A6	TT	8	40,0	222,8	267,4
5125	12.4-24	KNK50	124	A6	TT	12	43,7	239,5	287,4
5132	13.6-24	KNK50	120	A6	TT	6	45,0	239,6	287,5
5133	13.6-24	KNK50	123	A6	TT	8	45,3	252,2	302,6
5135	13.6-24	KNK50	129	A6	TT	12	49,5	277,1	332,5
5142	14.9-24	KNK50	125	A6	TT	6	50,7	262,1	314,5
5143	14.9-24	KNK50	128	A6	TT	8	51,0	274,5	329,4
5144	14.9-24	KNK50	131	A6	TT	10	54,3	282,8	339,4
5146	14.9-24	KNK50	137	A6	TT	14	59,3	333,5	400,2
5197	15.5/80-24	KNK50	163	A6	TL	16	70,2	351,8	422,1
5184	14.9-26	KNK50	133	A6	TT	10	59,2	317,9	381,4
5186	14.9-26	KNK50	140	A6	TT	14	64,1	358,8	430,6
5154	18.4-26	KNK50	142	A6	TT	10	85,0	422,4	506,8
5157	18.4-26	KNK50	150	A6	TT	16	92,0	460,5	552,5
5202	11.2-28	KNK50	112	A6	TT	6	39,5	213,2	255,8
5203	11.2-28	KNK50	118	A6	TT	8	39,8	222,8	267,3
5212	12.4-28	KNK50	117	A6	TT	6	45,0	237,6	285,1
5213	12.4-28	KNK50	125	A6	TT	8	45,4	246,6	295,9
5222	13.6-28	KNK50	121	A6	TT	6	50,0	261,9	314,2
5223	13.6-28	KNK50	125	A6	TT	8	54,9	275,6	330,7
5232	14.9-28	KNK50	125	A6	TT	6	57,2	305,8	366,9
5233	14.9-28	KNK50	130	A6	TT	8	62,9	316,9	380,3
5236	14.9-28	KNK50			TT	14	68,0	363,3	436,0
5253	16.9-28	KNK50	135	A6	TT	8	75,1	368,6	442,3
5254	16.9-28	KNK50	139	A6	TT	10	75,2	374,0	448,8
5256	16.9-28	KNK50	143	A6	TT	14	80,9	411,5	493,8
5303	14.9-30	KNK50	132	A6	TT	8	66,6	354,1	425,0
5304	14.9-30	KNK50	136	A6	TT	10	66,8	359,9	431,9
5313	16.9-30	KNK50	137	A6	TT	8	77,7	371,8	446,2

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga	
5314	16.9-30	KNK50	144	A6	TT	10	78,8	374,7	449,6
5316	16.9-30	KNK50	150	A6	TT	14	84,4	408,0	489,6
5323	18.4-30	KNK50	139	A6	TT	8	93,9	455,6	546,8
5324	18.4-30	KNK50	145	A6	TT	10	95,1	463,2	555,9
5326	18.4-30	KNK50	154	A6	TT	14	102,1	504,0	604,8
5413	8.3-32	KNK50	111	A6	TT	8	26,4	177,1	212,5
5423	9.5-32	KNK50	115	A6	TT	8	35,2	226,5	271,9
5433	12.4-32	KNK50	125	A6	TT	8	51,8	276,5	331,8
5514	16.9-34	KNK50	142	A6	TT	10	84,2	431,1	517,3
5516	16.9-34	KNK50	148	A6	TT	14	90,2	474,4	569,2
5524	18.4-34	KNK50	146	A6	TT	10	99,6	483,9	580,7
5526	18.4-34	KNK50	153	A6	TT	14	107,1	543,6	652,4
5527	18.4-34	KNK50			TT	16	109,8	565,3	678,4
5602	12.4-36	KNK50	121	A6	TT	6	57,4	297,9	357,5
5603	12.4-36	KNK50	126	A6	TT	8	57,8	314,8	377,8
5612	13.6-36	KNK50	125	A6	TT	6	64,9	316,6	379,9
5613	13.6-36	KNK50	129	A6	TT	8	70,9	343,7	412,4
5643	12.4-38	KNK50	127	A6	TT	8	66,3	344,3	413,2
5703	13.6-38	KNK50	131	A6	TT	8	75,7	352,3	422,7
5704	13.6-38	KNK50	135	A6	TT	10	75,5	357,7	429,3
5713	14.0-38	KNK50	131	A6	TT	8	75,7	363,8	436,5
5714	14.0-38	KNK50	135	A6	TT	10	75,5	369,2	443,0
5724	15.5-38	KNK50	138	A6	TT	10	82,0	399,5	479,4
5725	15.5-38	KNK50			TT	12	82,9	395,9	475,1
5734	16.9-38	KNK50	145	A6	TT	10	93,2	462,7	555,3
5736	16.9-38	KNK50	152	A6	TT	14	99,9	524,9	629,8
5744	18.4-38	KNK50	147	A6	TT	10	113,0	527,3	632,7
5746	18.4-38	KNK50	154	A6	TT	14	121,1	595,7	714,9
5167	14.9-24 (IRRIGATION)	KNK55	128	A6	TT	6	46,1	215,0	258,1
	Kombain								
4605	10.5/80-18	KNK48	135	A8	TT	12	23,6	143,6	172,3
4626	12.5/80-18	KNK48	144	A8	TT	14	30,9	157,9	189,5
4647	13.0/65-18	KNK48	144	A8	TT	16	30,4	163,4	196,1
5178	23.1-26	KNK50	162	A6	TL	18	182,9	863,9	1036,6
5358	23.1-30	KNK50	160	A6	TL	18	197,2	1039,5	1247,5
5757	20.8-38	KNK50	162	A6	TT	16	167,8	861,5	1033,9
5767	20.8-38	KNK50	162	A6	TL	16	180,7	888,4	1066,1
6737	18.4-30	KNK50	158	A6	TT	16	103,5	505,7	606,8
	Haagiserehvid								
4425	7.50-16	KNK25	121	A8	TT	12	19,2	99,7	119,7
4706	8.25-20	KNK25	133	A6	TT	14	31,1	161,2	193,4
4515	9.00-16	KNK26	125	A6	TT	12	25,1	123,2	147,8
4516	9.00-16	KNK26	128	A6	TT	14	25,3	128,2	153,9
4505	9.00-16	KNK27	125	A6	TT	12	25,1	123,2	147,8
4506	9.00-16	KNK27	128	A6	TT	14	25,3	128,2	153,9
4716	9.00-20	KNK22			TT	14	35,8	183,3	220,0

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga	
4445	7.50-16	KNK28	121	A8	TT	12	18,2	98,6	118,3
4215	260/70-15.3	KNK42			TL	12	15,8	86,6	103,9
4365	10.0/75-15.3	KNK48	126	A8	TL	12	20,7	100,5	120,6
4376	11.5/80-15.3	KNK48	139	A8	TL	14	29,3	138,3	165,9
4386	12.5/80-15.3	KNK48	142	A8	TL	14	32,2	148,3	177,9
4525	10.5/65-16	KNK48	126	A8	TT	12	19,4	110,4	132,5
4335	10.0/75-15.3	KNK52	126	A8	TL	12	21,1	116,1	139,3
4346	11.5/80-15.3	KNK52	139	A8	TL	14	27,5	145,2	174,2
4397	12.5/80-15.3	KNK56	144	A8	TL	16	34,8	188,1	225,7
4418	400/60-15.5	KNK56	151	A8	TL	18	40,2	186,3	223,6
4847	550/60-22.5	KNK56	154	A8	TL	16	90,1	461,9	554,2
4566	500/50-17	KNK46	149	A8	TL	14	53,4	248,4	298,1
4568	500/50-17	KNK46	157	A8	TL	18	56,5	267,8	321,3
Tõstukirehvid									
9105	6.00-9	KNK40	121	A5	TT	12	8,0	57,5	69,0
9205	6.50-10	KNK40	125	A5	TT	12	11,1	69,8	83,7
9306	7.00-12	KNK40	134	A5	TT	14	15,2	96,0	115,2
9406	8.15-15 (28*9-15)	KNK40	146	A5	TT	14	20,9	121,9	146,3
9418	8.25-15	KNK40	153	A5	TT	18	31,9	186,7	224,1
Pakiautorehvid									
2144	7.50-15C 10PR	KNK20	114/112	L	TT	10	17,9	108,3	130,0
2204	6.50-16C 10PR	KNK20	108/107	L	TT	10	14,6	88,0	105,6
2304	7,00-16C 10PR	KNK20	113/112	L	TT	10	16,7	102,9	123,5
2405	7,50-16C 12PR	KNK20	121/120	L	TT	12	18,2	110,1	132,1
2415	7,50-16C 12PR	KNK24	121/120	L	TT	12	18,8	111,5	133,8
2425	7,50-16C 12PR	KNK25	121/120	L	TT	12	20,3	121,8	146,1
2605	8.25-20 12PR	KNK25			TT	12	31,5	168,6	202,3
2154	7.50-15C 10PR	KNK126	114/112	L	TT	10	17,9	111,8	134,2
2214	6.50-16C 10PR	KNK126	108/107	L	TT	10	14,6	89,9	107,8
2314	7,00-16C 10PR	KNK126	113/112	L	TT	10	16,7	105,2	126,2
2435	7,50-16C 12PR	KNK126	121/120	L	TT	12	19,4	120,6	144,7
Traktori radiaalrehvid 65									
R6524440	440/65 R24	Agro 10	128/131	D/A8	TL		80,4	415,9	499,1
R6524480	480/65 R24	Agro 10	133/136	D/A8	TL		92,0	468,4	562,1
R6526750	750/65 R26	Agro 10	166/163	A8/B	TL		245,8	1357,4	1628,8
R6528440	440/65 R28	Agro 10	131/134	D/A8	TL		89,6	462,1	554,5
R6528480	480/65 R28	Agro 10	142/145	D/A8	TL		101,9	525,5	630,6
R6528540	540/65 R28	Agro 10	149/152	D/A8	TL		129,2	661,1	793,4
R6530540	540/65 R30	Agro 10	150/153	D/A8	TL		136,4	747,8	897,3
R6532800	800/65 R32	Agro 10	178/175	A8/B	TL		341,3	1712,1	2054,5
R6534540	540/65 R34	Agro 10	152/155	D/A8	TL		153,8	801,4	961,7
R6538540	540/65 R38	Agro 10	153/156	D/A8	TL		168,0	883,3	1060,0
R6538600	600/65 R38	Agro 10	159/162	D/A8	TL		193,1	941,7	1130,0
R6538650	650/65 R38	Agro 10	163/166	D/A8	TL		254,6	1234,7	1481,7
R6542650	650/65 R42	Agro 10	165	D/A8	TL		227,0	1597,2	1916,7
Traktori radiaalrehvid 70									

Kood	Rehvi mõõt	Muster	LI/SI	TL/ PR	TT	Kaal	Hind km-ta	Hind km-ga	
R7016240	240/70 R16	Agro 10	104/104	A8/B	TL		21,4	147,6	177,1
R7016260	260/70 R16	Agro 10	109/109	A8/B	TL		23,4	156,0	187,2
R7016280	280/70 R16	Agro 10	112/112	A8/B	TL		29,3	161,9	194,3
R7018280	280/70 R18	Agro 10	114/114	A8/B	TL		32,6	178,8	214,6
R7020260	260/70 R20	Agro 10	113/113	A8/B	TL		30,0	176,1	211,3
R7020280	280/70 R20	Agro 10	116/116	A8/B	TL		37,0	185,7	222,8
R7020300	300/70 R20	Agro 10	120/117	A8/B	TL		42,6	206,6	248,0
R7020320	320/70 R20	Agro 10	113/113	A8/B	TL		44,3	238,2	285,9
R7020360	360/70 R20	Agro 10	129/129	A8/B	TL		56,8	305,1	366,2
R7024320	320/70 R24	Agro 10	116/116	A8/B	TL		52,8	288,0	345,6
R7024360	360/70 R24	Agro 10	122/122	A8/B	TL		62,8	322,0	386,4
R7024380	380/70 R24	Agro 10	125/125	A8/B	TL		69,5	357,1	428,5
R7024420	420/70 R24	Agro 10	130/130	A8/B	TL		82,2	431,9	518,3
R7024460	460/70 R24	Agro 10	152/149	A8/B	TL		92,1	478,2	573,9
R7024480	480/70 R24	Agro 10	138/135	A8/B	TL		102,1	592,2	710,7
R7028360	360/70 R28	Agro 10	125/125	A8/B	TL		70,1	370,5	444,6
R7028380	380/70 R28	Agro 10	127/127	A8/B	TL		76,0	399,8	479,7
R7028420	420/70 R28	Agro 10	133/133	A8/B	TL		91,3	470,9	565,1
R7028480	480/70 R28	Agro 10	140/140	A8/B	TL		113,8	564,1	676,9
R7030420	420/70 R30	Agro 10	134/131	A8/B	TL		97,6	503,9	604,6
R7030480	480/70 R30	Agro 10	141/138	A8/B	TL		126,4	624,8	749,7
R7030600	600/70 R30	Agro 10	158/156	A8/B	TL		201,9	1076,4	1291,7
R7034480	480/70 R34	Agro 10	143/143	A8/B	TL		141,4	711,3	853,6
R7034520	520/70 R34	Agro 10	148/146	A8/B	TL		162,7	813,5	976,2
R7038480	480/70 R38	Agro 10	145/142	A8/B	TL		152,9	764,6	917,5
R7038520	520/70 R38	Agro 10	150/147	A8/B	TL		177,5	852,8	1023,3
R7038580	580/70 R38	Agro 10	155/152	A8/B	TL		207,7	1013,9	1216,7
R7038710	710/70 R38	Agro 10	171/174	D/A8	TL		305,1	1597,2	1916,7
R7042620	620/70 R42	Agro 10	163	D/A8	TL		243,0	1645,8	1975,0
R7042710	710/70 R42	Agro 10	173	D/A8	TL		330,0	2147,2	2576,7
Traktori radiaalrehvid 75									
R7526620	620/75 R26	Agro 10	166/166	A8/B	TL		224,3	1139,7	1367,7
R7530620	620/75 R30	Agro 10	163/161	A8/B	TL		239,3	1227,9	1473,5
R7532650	650/75 R32	Agro 10	172/172	A8/B	TL		268,6	1314,2	1577,1
Traktori radiaalrehvid 80									
R8042480	480/80 R42	Agro 10	151/148	A8/B	TL		178,5	982,4	1178,9
R8046480	480/80 R46	Agro 10	164/164	A8/B	TL		192,6	1065,6	1278,7
Traktori radiaalrehvid 85									
R8520280	280/85 R20 (11.2 R20)	Agro 10	112/109	A8/B	TL		41,1	198,9	238,7
R8520320	320/85 R20 (12.4 R20)	Agro 10	119/116	A8/B	TL		49,7	254,0	304,8
R8524280	280/85 R24 (11.2 R24)	Agro 10	115/112	A8/B	TL		47,8	267,0	320,4
R8524320	320/85 R24 (12.4 R24)	Agro 10	122/119	A8/B	TL		58,5	307,5	369,0
R8524340	340/85 R24 (13.6 R24)	Agro 10	125/122	A8/B	TL		66,6	351,0	421,2
R8524380	380/85 R24 (14.9 R24)	Agro 10	131/128	A8/B	TL		78,0	384,1	461,0
R8524420	420/85 R24 (16.9 R24)	Agro 10	137/134	A8/B	TL		97,0	474,2	569,1
R8528280	280/85 R28 (11.2 R28)	Agro 10	118/115	A8/B	TL		53,8	289,5	347,4

Kood	Rehvi mõõt	Muster	LI/SI	TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga	
R8528320	320/85 R28 (12.4 R28)	Agro 10	124/121	A8/B	TL		62,6	323,2	387,9
R8528340	340/85 R28 (13.6 R28)	Agro 10	127/124	A8/B	TL		72,0	366,7	440,0
R8528380	380/85 R28 (14.9 R28)	Agro 10	133/130	A8/B	TL		83,9	430,0	516,0
R8528420	420/85 R28 (16.9 R28)	Agro 10	139/136	A8/B	TL		102,3	523,6	628,3
R8530380	380/85 R30 (14.9 R30)	Agro 10	135/132	A8/B	TL		88,1	463,2	555,9
R8530420	420/85 R30 (16.9 R30)	Agro 10	140/137	A8/B	TL		108,7	548,6	658,3
R8530460	460/85 R30 (18.4 R30)	Agro 10	145/142	A8/B	TL		127,5	645,5	774,6
R8532320	320/85 R32 (12.4 R32)	Agro 10	126/126	A8/B	TL		70,4	379,0	454,8
R8534420	420/85 R34 (16.9 R34)	Agro 10	142/139	A8/B	TL		119,9	613,3	736,0
R8534460	460/85 R34 (18.4 R34)	Agro 10	147/144	A8/B	TL		141,0	706,7	848,0
R8536320	320/85 R36 (12.4 R36)	Agro 10	128/125	A8/B	TL		77,1	438,7	526,4
R8536340	340/85 R36 (13.6 R36)	Agro 10	132/129	A8/B	TL		88,6	459,7	551,6
R8538320	320/85 R38 (12.4 R38)	Agro 10	143/143	A8/B	TL		84,3	438,4	526,0
R8538340	340/85 R38 (13.6 R38)	Agro 10	133/130	A8/B	TL		90,3	451,7	542,0
R8538380	380/85 R38 (14.9 R38)	Agro 10	139/136	A8/B	TL		106,4	557,5	669,0
R8538420	420/85 R38 (16.9 R38)	Agro 10	144/141	A8/B	TL		131,6	657,2	788,6
R8538460	460/85 R38 (18.4 R38)	Agro 10	149/146	A8/B	TL		153,6	743,1	891,7
R8538520	520/85 R38 (20.8 R38)	Agro 10	155/152	A8/B	TL		192,3	937,5	1125,0
R8538650	650/85 R38	Agro 10	173	D/A8	TL		330,0	1875,0	2250,0
R8542520	520/85 R42 (20.8 R42)	Agro 10	157/157	A8/B	TL		216,9	1078,9	1294,6
R8548340	340/85 R48 (13.6 R48)	Agro 10	152/151	A8/B	TL		115,8	655,7	786,8
Traktori radiaalrehvid 90									
R9046380	380/90 R46	Agro 10	159/162	D/A8	TL		134,6	754,3	905,1
Traktori radiaalrehvid 95									
R9520	9.5 R20	Agro 10	108/105	A8/B	TL		33,2	187,8	225,3
R9532210	210/95 R32	Agro 10	114/114	A8/B	TL		44,7	257,3	308,7
R9532230	230/95 R32	Agro 10	128/128	A8/B	TL		51,8	312,1	374,5
R9532270	270/95 R32	Agro 10	136/136	A8/B	TL		65,9	395,9	475,0
R9538270	270/95 R38	Agro 10	138/138	A8/B	TL		75,9	434,2	521,1
R9544210	210/95 R44	Agro 10	120/120	A8/B	TL		59,2	358,6	430,3
R9544230	230/95 R44	Agro 10	132/132	A8/B	TL		65,1	393,6	472,3
R9544270	270/95 R44	Agro 10	142/142	A8/B	TL		82,6	488,5	586,3
R9546270	270/95 R46	Agro 10	143/143	A8/B	TL		87,0	502,0	602,4
R9546300	300/95 R46	Agro 11	148/148	A8/B	TL		94,7	507,9	609,5
R9548230	230/95 R48	Agro 12	136/136	A8/B	TL		72,2	401,5	481,8
R9548270	270/95 R48	Agro 13	142/142	A8/B	TL		90,9	514,3	617,1
Implement									
1812	6.50/80-15	KNK50	86	A6	TT	6	7,9	50,1	60,1
1501	4.50-10	KNK52	49	A6	TT	4	3,9	25,1	30,1
1611	5.00-12	KNK52	62	A6	TT	4	6,0	30,1	36,1
1732	7.00-12	KNK52	83	A6	TT	6	9,9	48,4	58,1
1752	6.50/80-13	KNK52	82	A6	TT	6	7,5	43,2	51,8
1702	6.50/80-12	KNK54	80	A6	TT	6	7,2	39,6	47,6
1802	5.00-15	KNK140	76	A6	TT	6	6,8	46,9	56,2
1764	10.0/80-12	KNK48	116	A8	TL	10	17,4	97,6	117,2
1774	10.0/80-12	KNK42	117	A8	TL	10	14,5	96,8	116,2

Kood	Rehvi mõõt	Muster	LI/SI		TL/ TT	PR	Kaal	Hind km-ta	Hind km-ga
	OTR Radiaal								
R8024440	440/80 R24	OR71			TT		105,7	782,9	939,4
R8028480	440/80 R28	OR71			TL		121,0	895,2	1074,3
	OTR Diagonaal								
6236	12.5-20 14PR TL	KNK12	137	A8	TL	14	47,6	319,0	382,8
6247	10.00-20 16PR	KNK44			TT	16	46,8	279,7	335,7
6257	10.00-20 16PR TL	KNK44	146 / 143	A8	TL	16	50,1	301,6	361,9
6015	10-16.5 12PR TL	KNK65	138	A3	TL	12	29,4	193,9	232,6
6036	12-16.5 14PR TL	KNK65	148	A3	TL	14	40,7	236,4	283,7
6055	10-16.5 12PR TL	IND80	138	A3	TL	12	23,3	136,9	164,2
6076	12-16.5 14PR TL	IND80			TL	14	31,1	194,3	233,1
6115	10.5/80-18 12PR TL	IND80	135	A8	TL	12	29,1	166,6	199,9
6156	12.5/80-18 14PR TL	IND80	146	A8	TL	14	44,4	238,0	285,6
6277	16.0/70-20 16PR TL	IND80	166	A2	TL	16	66,8	370,2	444,2
6287	15.5/80-24 16PR TL	IND80	147	A8	TL	16	77,9	425,2	510,3
6377	16.0/70-24 16PR TL	IND80	169	A2	TL	16	79,2	411,2	493,5
6397	16.9-24 16PR TL	IND80			TL	16	86,2	461,1	553,3
6566	17.5L-24 14PR TL	IND80	154	A8	TL	14	77,2	417,5	501,0
6816	15.5-25 14PR TL	IND80	173	A2	TL	14	86,1	449,8	539,8
6516	18.4-26 14PR TL	IND80	160	A8	TL	14	107,1	548,1	657,8
6616	16.9-28 14PR TL	IND80	156	A8	TL	14	93,0	445,4	534,5
6957	16.9-30 16PR TL	IND80	156	A8	TL	16	100,1	531,0	637,2
6166	12.5/80-18 14PR TL	IND88	146	A8	TL	14	44,6	238,1	285,7
6176	340/80-18 14PR TL	IND88			TL	14	46,4	243,1	291,7
6761	14.00-24 24PR TL	KNK70	186	A2	TL	24	112,8	642,9	771,5
6765	14.00-24 32PR TL	KNK70	190	A2	TL	32	126,5	743,3	891,9
6419	17.5-25 20PR TL	KNK70	181	A2	TL	20	134,8	796,6	955,9
6431	20.5-25 24PR TL	KNK70	189	A2	TL	24	213,6	1189,7	1427,6
6451	23.5-25 24PR TL	KNK70	196	A2	TL	24	275,1	1688,7	2026,5
6473	26.5-25 28PR TL	KNK70	203	A2	TL	28	425,6	2512,2	3014,6
6475	26.5-25 32PR TL	KNK70	206	A2	TL	32	431,6	2782,6	3339,2
6495	29.5-25 32PR TL	KNK70	210	A2	TL	32	538,4	3850,7	4620,8
6529	18.00-25 40PR TL	KNK70	206	A2	TL	40	262,5	1855,0	2225,9
6327	13.00-24 16PR	KNK72			TT	16	65,6	395,8	474,9
6337	13.00-24 16PR TL	KNK72	151	A8	TL	16	69,7	415,9	499,1
6347	14.00-24 16PR	KNK72			TT	16	81,5	440,7	528,9
6357	14.00-24 16PR TL	KNK72	153	A8	TL	16	86,4	462,8	555,3
6297	16.00-24 16PR TL	KNK74	163	A6	TL	16	122,0	645,3	774,3
6536	23.1-26 14PR TL	KNK77	166	A8	TL	14	139,4	766,1	919,4
6225	9.00-20 12PR	KNK88	157	A2	TT	12	50,5	255,9	307,0
6262	11.00-20 16PR	KNK88	168	A2	TT	16	72,9	346,9	416,2
	Military								
7525	12.5-20 12PR	KNK12	132	F	TT	12	44,2	321,2	385,5
7749	14.00-20 20PR	KNK10	161/158	F	TT	20	71,8	520,5	624,6
7423	13.00-18 8PR	KNK14	131	F	TT	8	61,2	429,6	515,5