

FIRESTONE (põllumajandus)

Kehtib alates 20.02.2019.a.



	Mõõt				Hind km-ta	Hind km-ga
85 Series						
54392	7.5 R16	R4000	TL	102A/99B	256,1	307,3
54393	7.5 R18	R4000	TL	104A/101B	271,3	325,6
5620	280/85 R20	PERF85	TL	112D/109E	317,3	380,7
4868	320/85 R20	PERF85	TL	119D/116E	349,3	419,2
5621	250/85 R24	PERF85	TL	109D/106E	271,3	325,6
5622	280/85 R24	PERF85	TL	115D/112E	308,6	370,4
4123	280/85 R24	PERF85 XL	TL	130A/130B	371,2	445,5
5623	320/85 R24	PERF85	TL	122D/119E	364,3	437,2
5624	340/85 R24	PERF85	TL	125D/122E	396,6	475,9
4124	340/85 R24	PERF85 XL	TL	136A/136B	423,0	507,6
5625	380/85 R24	PERF85	TL	131D/128E	484,0	580,8
5626	420/85 R24	PERF85	TL	137D/134E	553,6	664,3
4125	420/85 R24	PERF85 XL	TL	142A/142B	581,1	697,4
54147	14.9 R26	RATFWD	TL	132A/132B	1256,2	1507,4
54105	18.4 R26	RATFWD	TL	140A/140B	1413,2	1695,8
54423	420/85 R26	RATFWD	TL	138A/138B	1330,6	1596,7
54215	16.9 R28	RADCSG	TL	136A	1474,7	1769,6
5627	250/85 R28	PERF85	TL	112D/109E	349,3	419,2
5628	280/85 R28	PERF85	TL	118D/115E	338,4	406,1
5629	320/85 R28	PERF85	TL	124D/121E	397,9	477,5
5630	340/85 R28	PERF85	TL	127D/124E	480,0	576,0
5631	380/85 R28	PERF85	TL	133D/130E	521,3	625,5
54427	420/85 R28	RATFWD	TL	139A	1297,5	1557,0
5632	420/85 R28	PERF85	TL	139D/136E	606,1	727,3
4128	420/85 R28	PERF85 XL	TL	144A	639,4	767,3
54324	16.9 R30	RADCSG	TL	141A	1508,7	1810,4
54422	380/85 R30	RATFWD	TL	135A/135B	950,2	1140,2
4293	380/85 R30	PERF85	TL	135D/132E	597,3	716,8
5633	420/85 R30	PERF85	TL	140D/137E	666,9	800,3
5634	460/85 R30	PERF85	TL	145D/142E	795,5	954,7
54429	380/85 R34	RATFWD	TL	137A/137B	1210,5	1452,6
5635	420/85 R34	PERF85	TL	142D/139E	710,8	852,9
54453	420/85 R34	RATDT	TL	147A	1426,0	1711,3
54365	460/85 R34	R8000SS	TL	147A/144B	940,5	1128,6
5636	460/85 R34	PERF85	TL	147D/144E	878,2	1053,8
5637	320/85 R36	PERF85	TL	128D/125E	444,3	533,2
5638	340/85 R36	PERF85	TL	132D/129E	491,6	589,9
54219	18.4 R38	RADCSG	TL	146A	1199,5	1439,4
54216	20.8 R38	RADCSG	TL	153A	2475,1	2970,1
5639	340/85 R38	PERF85	TL	133D/130E	552,8	663,3
54346	380/80 R38	RATDT	TL	142A/142B	1403,5	1684,1
5640	420/85 R38	PERF85	TL	144D/141E	806,6	967,9

	Mõõt				Hind km-ta	Hind km-ga
54366	460/85 R38	R8000SS	TL	149A/146B	1040,9	1249,0
5641	460/85 R38	PERF85	TL	149D/146E	981,2	1177,5
5893	460/85 R38	PERF85 XL	TL	154D/151E	929,3	1115,2
54431	480/80 R38	RAT23	TL	149A	1738,5	2086,2
54432	520/85 R38	RAT23	TL	155A	2052,6	2463,1
54368	520/85 R38	R8000SS	TL	155A/152B	1340,3	1608,4
54369	520/85 R38	RATDT	TL	155A/152B	1340,3	1608,4
5642	520/85 R38	PERF85	TL	155D/152E	1289,3	1547,1
5894	520/85 R38	PERF85 XL	TL	160D/157E	1443,4	1732,1
4711	460/85 R42	PERF85	TL	150D/147E	1329,2	1595,0
4713	460/85 R42	PERF85 XL	TL	156D/153E	1369,2	1643,1
4588	480/80 R42	RAT23	TL	154A/154B	1632,2	1958,6
54436	520/85 R42	RDT23	TL	157A	2283,1	2739,8
1790	520/85 R42	RADCSG	TL	157A	2634,3	3161,1
4715	520/85 R42	PERF85	TL	157D/154E	1489,2	1787,0
4717	520/85 R42	PERF85 XL	TL	162D/159E	1603,3	1924,0
54434	480/80 R46	RAT23	TL	158A	2280,8	2737,0
54474	520/85 R46	RDT23	TL	158A/158B	3617,9	4341,5
54347	480/80 R50	RDT23	TL	159A	3388,0	4065,7
70 Series						
54394	280/70 R16	R4000	TL	112A/109B	329,8	395,8
54395	280/70 R18	R4000	TL	114A/111B	340,2	408,2
54442	280/70 R20	R4000	TL	116A/113B	357,4	428,9
54396	300/70 R20	R4000	TL	120A/117B	417,9	501,4
54443	320/70 R20	R4000	TL	123A/120B	461,0	553,2
4129	320/70 R20	R4000 XL	TL	130A/130B	474,8	569,8
54444	360/70 R20	R4000	TL	129A/126B	409,5	491,5
3410	320/70 R24	PERF70	TL	116D/113E	390,0	468,1
3411	360/70 R24	PERF70	TL	122D/119E	424,1	508,9
3412	380/70 R24	PERF70	TL	125D/122E	482,6	579,1
3413	420/70 R24	PERF70	TL	130D/127E	590,7	708,8
4130	420/70 R24	PERF70 XL	TL	136A/136B	631,3	757,6
3414	480/70 R24	PERF70	TL	138D/135E	713,9	856,6
3415	360/70 R28	PERF70	TL	125D/122E	524,0	628,8
3416	380/70 R28	PERF70	TL	127D/124E	575,5	690,6
3417	420/70 R28	PERF70	TL	133D/130E	598,0	717,7
3418	480/70 R28	PERF70	TL	140D/137E	771,7	926,1
4131	480/70 R28	PERF70 XL	TL	151A/151B	795,5	954,7
3420	480/70 R30	PERF70	TL	141D/138E	832,1	998,5
5009	480/70 R30	PERF70 XL	TL	147D/144E	864,9	1037,9
54176	480/70 R30	RATDT	TL	152A/152B	1588,2	1905,9
3421	480/70 R34	PERF70	TL	143D/140E	946,6	1135,9
3422	520/70 R34	PERF70	TL	148D/145E	1103,9	1324,7
3423	480/70 R38	PERF70	TL	145D/142E	1026,8	1232,1
3424	520/70 R38	PERF70	TL	150D/147E	1220,8	1464,9
3425	580/70 R38	PERF70	TL	155D/152E	1616,3	1939,5
5644	580/70 R42	PERF70	TL	158D/155E	1924,7	2309,7
65 Series						
8943	440/65 R24	MAXTR65	TL	128D 125E	521,2	625,5
8950	480/65 R24	MAXTR65	TL	133D 130E	623,5	748,3

	Mõõt				Hind km-ta	Hind km-ga
8958	540/65 R24	MAXTR65	TL	140D 137E	753,2	903,9
8946	440/65 R28	MAXTR65	TL	131D 128E	609,4	731,3
8954	480/65 R28	MAXTR65	TL	136D 133E	657,2	788,7
8961	540/65 R28	MAXTR65	TL	142D 139E	855,9	1027,1
8886	540/65 R30	MAXTR65	TL	143D 140E	938,5	1126,2
8965	540/65 R30	MAXTR65	TL	150D 147E	938,5	1126,2
8971	540/65 R34	MAXTR65	TL	152D/149E	968,6	1162,4
8978	600/65 R34	MAXTR65	TL	151D/148E	1197,9	1437,5
8980	600/65 R38	MAXTR65	TL	153D/150E	1305,8	1567,0
8987	650/65 R38	MAXTR65	TL	163D/163E	1734,4	2081,3
8984	650/65 R38	MAXTR65	TL	157D/154E	1715,9	2059,1
8887	650/65 R42	MAXTR65	TL	158D/155E	1948,7	2338,4
XL Series						
5435	600/65 R28	MAXTRAC	TL	154D/151E	1316,6	1579,9
5437	600/70 R28	MAXTRAC	TL	157D/154E	1669,6	2003,6
5457	600/65 R28	MAXTRAC	TL	160D/157E	1469,2	1763,1
5459	600/70 R28	MAXTRAC	TL	164D/160E	1865,4	2238,5
5436	600/65 R30	MAXTRAC	TL	155D/152E	1672,7	2007,3
5438	600/70 R30	MAXTRAC	TL	158D/155E	1672,7	2007,3
5458	600/65 R30	MAXTRAC	TL	161D/158E	1868,5	2242,2
5460	600/70 R30	MAXTRAC	TL	165D/161E	1868,5	2242,2
5440	620/75 R30	MAXTRAC	TL	163D/160E	1595,6	1914,8
5462	620/75 R30	MAXTRAC	TL	163D/160E	1675,8	2011,0
5441	650/75 R32	MAXTRAC	TL	172A8/172B	1672,7	2007,3
5905	800/65 R32	MAXTRAC	TL	178A8/178B	2830,5	3396,6
5909	900/60 R32	MAXTRAC	TL	181A8/181B	4020,7	4824,8
54196	23.1 R34	RAT23	TL		3621,4	4345,7
5903	710/75 R34	MAXTRAC	TL	178A8/178B	3752,0	4502,4
4870	650/75 R38	MAXTRAC	TL	169D/166E	2693,3	3232,0
5442	650/85 R38	MAXTRAC	TL	173D/170E	3431,8	4118,1
5463	650/75 R38	MAXTRAC	TL	175D/172E	3004,7	3605,7
5464	650/85 R38	MAXTRAC	TL	179D/176E	3829,5	4595,4
5443	710/70 R38	MAXTRAC	TL	171D/168E	2710,3	3252,3
4088	710/70 R38	MAXTRAC	TL	178D/175E	3026,3	3631,6
5907	800/70 R38	MAXTRAC	TL	184D/181E	3866,5	4639,8
5439	620/70 R42	MAXTRAC	TL	166D/163E	2089,0	2506,8
5461	620/70 R42	MAXTRAC	TL	172D/169E	2331,0	2797,2
5444	710/70 R42	MAXTRAC	TL	173D/170E	3801,8	4562,1
5465	710/70 R42	MAXTRAC	TL	179D/176E	4244,2	5093,1
54272	900/50 R42	R9000	TL	168A/168B	3228,3	3873,9
Narrow tires						
6031	230/95 R32	PERF95	TL	128D	529,5	635,4
6032	270/95 R32	PERF95	TL	136D	689,6	827,5
6033	320/90 R32	PERF90	TL	134D	907,0	1088,4
54275	290/95 R34	R9000	TL	131A	1362,9	1635,5
54276	320/85 R34	R9000	TL	133A/133B	1382,5	1659,0
6034	230/95 R36	PERF95	TL	130D	591,6	709,9
6035	270/95 R36	PERF95	TL	139D	741,9	890,3
6036	270/95 R38	PERF95	TL	140D	786,0	943,2
54269	320/85 R38	R9000	TL	143A/143B	1206,0	1447,2

	Mõõt				Hind km-ta	Hind km-ga
10471	270/95 R42	PERF95	TL	141D/155A	585,0	702,0
6037	300/95 R42	PERF95	TL	147D/161A	673,3	807,9
54277	320/90 R42	R9000	TL	139A/139B	1384,1	1661,0
6038	230/95 R44	PERF95	TL	134D	670,0	804,0
6039	270/95 R44	PERF95	TL	142D	846,5	1015,8
54234	14.9 R46	RAT23	TL	145A/145B	1707,7	2049,2
6040	300/95 R46	PERF95	TL	148D	1045,9	1255,0
54254	320/90 R46	R9000	TL	148A/148B	1335,1	1602,1
54350	380/90 R46	R9000	TL	152A/152B	1707,7	2049,2
54205	420/80 R46	RAT23	TL	151A/151B	1707,7	2049,2
54280	230/95 R48	R9000	TL	134A/134B	1570,4	1884,5
6041	230/95 R48	PERF95	TL	136D	704,3	845,2
6042	270/95 R48	PERF95	TL	144D	861,2	1033,4
6043	340/85 R48	PERF85	TL	151D	1264,8	1517,8
54255	320/90 R50	R9000	TL	148A/148B	1349,8	1619,8
54438	380/90 R50	R9000	TL	151A/151B	1735,5	2082,6
2282	380/105 R50	R9100	TL	168A/168B	2073,8	2488,5
6044	300/95 R52	PERF95	TL	151D	1194,6	1433,5
54247	320/90 R54	RATDT	TL	149A/149B	1498,5	1798,2
54439	380/90 R54	R9000	TL	152A/152B	2010,0	2412,0
Industrial tires						
54475	340/80 R18	R8000UT	TL	136A	451,3	541,6
1748	340/80 R18	DURA-UT	TL	143A	429,7	515,6
2009	405/70 R18	DURA-UT	TL	141B	601,3	721,5
2008	335/80 R20	DURA-UT	TL	136B	589,2	707,1
2003	365/80 R20	DURA-UT	TL	141B	522,9	627,4
1060	400/70 R20	DURA-UT	TL	149A	582,8	699,3
54397	400/70 R20	R8000UT	TL	149A	605,4	726,5
54398	400/80 R24	R8000UT	TL	156A	864,9	1037,9
54449	400/70 R24	R8000UT	TL	158A	864,9	1037,9
54441	460/70 R24	R8000UT	TL	152A	629,0	754,8
2937	460/70 R24	DURA-UT	TL	159A	693,9	832,7
10474	460/70 R24	R8000UT	TL	159A/159B	610,5	732,6
6029	500/70 R24	DURA-UT	TL	164A/164B	794,0	952,8
4723	500/70 R24	DURA-UT	TL	157A8	817,8	981,3
1771	480/80 R26	DURA-UT	TL	160A	871,2	1045,4
1770	440/80 R28	DURA-UT	TL	156A	858,6	1030,3
54448	440/80 R28	R8000UT	TL	156A	901,9	1082,3
Front Wheels						
52031	4 -15	RIB	TT	4	106,4	127,7
52034	5 -15	OCT114	TT	2	118,8	142,5
52033	5 -15	RIB	TT	6	124,1	148,9
52040	8.0/75 -15	RANCHER	TT	6	252,1	302,5
4855	9.5 -15	CGUID4R	TL	8	238,3	285,9
52378	11L -15	CHGG3R	TL	8	354,0	424,8
52046	10.0/75 -15.3	RANCHER	TT	8	322,9	387,5
52050	27X10 -15.3	RANCHER	TT	8	300,4	360,5
52205	11.5/80 -15.3	OCT131	TT	12	376,4	451,7
52078	5.5 -16	RIB	TT	6	129,5	155,4
52081	6 -16	RIB	TT	6	151,9	182,3

	Mõõt				Hind km-ta	Hind km-ga
52083	6 -16	3RIB	TT	6	151,9	182,3
52091	6.5 -16	RIB	TT	6	170,9	205,1
52191	7 -16	RIB	TT	8	198,6	238,3
52106	7.5 -16	RIB	TT	8	210,7	252,8
52109	7.5 -16	3RIB	TT	8	208,9	250,7
52209	7.5 -16	RIB	TT	10	227,9	273,5
52213	9 -16	4RIB	TL	10	455,8	547,0
52351	10 -16	3RIB	TL	10	431,7	518,0
53648	11 -16	CGUID4R	TL	2	578,4	694,1
55104	11L -16	INDSP	TL	2	459,3	551,2
52135	11 -16	3RIB	TL	8	476,6	571,9
53658	11 -16	CGUID4R	TL	8	454,1	544,9
53820	14L -16.1	4RIB	TL	2	796,0	955,2
52146	7.5 -18	3RIB	TT	8	238,3	285,9
52194	7.5 -18	RIB	TL	8	265,9	319,1
52216	7.5 -18	RIB	TT	10	260,7	312,9
52155	4.5 -19	TRACIMP	TT	2	114,0	136,8
52159	6 -19	RIB	TT	6	179,6	215,5
52165	6.5 -20	RIB	TT	6	215,8	259,0
52166	7.5 -20	RIB	TT	6	281,4	337,7
53719	7.5 -20	CH3RHD	TT	6	316,0	379,2
52193	4.00/4.50 -21	RIB	TT	4	124,3	149,2
Trailer & Implement						
55040	8.25 -15	TRAILER	TT	18	422,3	506,7
52350	11L -15	FARM	TL	8	320,5	384,6
52052	10 -15.3	FARM	TT	10	269,6	323,6
52061	11.5 -15.3	FARM	TT	12	403,6	484,3
52089	6 -16	TRACIMP	TT	6	139,1	166,9
52099	6.5 -16	TRACIMP	TT	8	181,5	217,7
40021	7 -16	B247	TT	12	234,0	280,8
52115	7.5 -16	TRACIMP	TT	8	203,5	244,2
52271	10.5 -16	FARM	TT	14	461,3	553,5
52345	16.5L -16.1	FARM	TL	10	1636,5	1963,8
56103	16.5L -16.1	NPWRIMP	TL	10	1231,2	1477,4
52328	21.5L -16.1	FARM	TL	4	1273,6	1528,3
52369	21.5L -16.1	PWRIMP	TL	4	1682,3	2018,7
53490	7.5 -18	OCT131	TT	6	230,6	276,8
52222	13.0/65 -18	FARM	TT	14	415,5	498,6
43033	7.5 -20	B247	TT	12	395,1	474,2
52377	9 -24	RIBIMP	TT	8	541,0	649,2
Small Agro tires						
52003	4 -8	OCT114	TT	2	91,6	109,9
52201	4.00/5 -12	OCT114	TT	2	101,8	122,1
52015	4 -12	TRACIMP	TT	4	101,8	122,1
52017	4 -12	RIB	TT	4	96,7	116,0
52021	5 -12	RANCHER	TT	6	128,9	154,7
52009	6 -12	TRTC	TT	2	134,0	160,8
52027	7 -12	RANCHER	TT	6	212,0	254,4
52030	8.5 -12	RIB	TT	6	191,6	230,0

	Mõõt				Hind km-ta	Hind km-ga
53002	11.0/65 -12	RANCHER	TT	6	295,1	354,1
Traction Drive tires						
53642	31X13.50 -15	TURF	TL	8	317,1	380,5
1270	31X15.50 -15	FLT23	TL	8	474,8	569,8
53752	13.5 -16.1	ANS	TL	10	551,1	661,4
53023	9.5 -20	ATC	TT	6	317,1	380,5
53396	48X25.00 -20	FLT23DT	TL	10	2375,9	2851,0
53048	11.2 -24	ATC	TT	8	305,3	366,3
53060	12.4 -24	ATC	TT	8	354,4	425,3
53087	14.9 -24	ATC	TT	8	473,1	567,8
55002	16.9 -24	ANS	TL	6	951,4	1141,6
53770	54X37.00 -25	FL23DTL	TL	12	3700,1	4440,1
53508	66X43.00 -25	FLT23DT	TL	10	3819,6	4583,5
53700	66X43.00 -25	FLT23DT	TL	16	3774,0	4528,8
53724	14.9 -26	SAT	TL	10	880,1	1056,2
53702	18.4 -26	ANS	TL	6	1027,7	1233,2
5930	23.1 -26 10 PR	CHSPADE	TL	10	2027,0	2432,3
53606	23.1 -26	ATC	TT	14	1341,4	1609,7
53599	28L -26	ANS	TL	12	1635,4	1962,5
53652	28L -26	SAT23	TT	14	1830,4	2196,5
53809	28L -26	ANS	TL	16	1600,8	1921,0
53137	11.2 -28	ATC	TT	6	296,8	356,1
53151	12.4 -28	ATC	TT	6	335,8	402,9
53166	13.6 -28	ATC	TT	6	401,9	482,3
53182	14.9 -28	ATC	TT	6	457,9	549,5
53232	16.9 -30	ATC	TT	8	685,1	822,1
53257	18.4 -30	ATFR	TT	8	619,0	742,8
53149	18.4 -30	ATC	TT	12	758,0	909,6
1674	24.5 -32	PULLER2	TL	2	2976,7	3572,1
53446	24.5 -32	ANS	TL	2	1558,3	1870,0
5931	24.5 -32 10 PR	CHSPADE	TT	10	2585,2	3102,2
53798	24.5 -32	F202	TT	20	1902,7	2283,3
53659	30.5L -32	SAT23	TL	16	2580,5	3096,6
54389	30.5L -32	PULLER2	TL		3237,8	3885,3
53720	73X44.00 -32	FLT23DT	TL	16	4734,8	5681,8
53301	18.4 -34	ATC	TT	8	729,2	875,1
53775	15.5 -38	SAT23	TL	6	764,8	917,8
53374	20.8 -38	ATC	TT	10	1501,7	1802,1
54483	520/85 D38	SATHD	TL	173A	2009,7	2411,6
Forestry tires						
5177	54X37.00 -25	FL23DTL	TL	20	3704,8	4445,8
53105	18.4 -26	FOREST	TT	10	1366,5	1639,8
53113	23.1 -26	FOREST	TT	10	2299,0	2758,8
53115	23.1 -26	FOREST	TT	14	2181,1	2617,3
53564	28L -26	FOREST	TT	14	2788,0	3345,7
53823	28L -26	FOREST	TL	16	2879,2	3455,1
53832	24.5 -32	FOREST	TL	6	3305,4	3966,5
2286	30.5L -32	FOREST	TL	26	4327,5	5193,0

	Mõõt				Hind km-ta	Hind km-ga
5175	35.5L -32	FOREST	TL	4	4511,5	5413,8
53311	18.4 -34	FOREST	TT	10	2056,8	2468,2
Industrial tires						
56287	27X8.50 -15	STL	TL	6	272,0	326,3
53786	215/70 -15	DURAFDT	TL	8	259,0	310,8
53793	390/60 -15	DURAFDT	TL	8	586,0	703,2
53788	265/70 -16.5	DURAFDT	TL	8	378,8	454,5
53819	265/70 -16.5	DURAFHD	TL	8	364,2	437,1
53789	305/70 -16.5	DURAFDT	TL	10	529,3	635,2
53824	305/70 D16.5	DURAFHD	TL	10	453,3	543,9
53807	395/55 -16.5	DURAFDT	TL	12	475,9	571,1
53406	10.5/80 -18	ATU HC	TL	10	294,6	353,5
53407	12.0/12.5 -18	ATU	TL	2	382,0	458,4
56297	280/80 -18	STL	TL	132A	314,0	376,8
56296	340/80 -18	STL	TL	143A	372,3	446,8
40049	15 -19.5	STDUP	TL	2	752,7	903,3
53821	385/65 -19.5	DURAFND	TL	2	807,8	969,3
53790	445/65 -19.5	DURAFND	TL	6	1664,1	1996,9
53029	10 -20	ATU	TT	10	341,6	409,9
53635	12.5 -20	ATU	TL	10	403,1	483,7
56295	280/80 -20	STL	TL	133A	331,8	398,2
56228	340/80 -20	STL	TL	144A	435,4	522,5
2543	400/70 -20	STL	TL	144A	563,3	676,0
53063	12.4 -24	ATU	TT	12	385,3	462,3
53705	14.9 -24	ATU	TL	2	713,9	856,6
53818	16.9 -24	ATU	TL	2	908,1	1089,7
53347	17.5L -24	ATU	TL	10	1097,5	1317,0
56225	480/80 -26	STL	TL	160A	811,0	973,2
53213	16.9 -28	ATU HC	TT	14	823,9	988,7
53665	18.4 -28	ATU	TL	12	1134,7	1361,7
56193	440/80 -28	STL	TL	156A	767,3	920,7