

# Trelleborg (põllumajandus)

Kehtib alates 10.04.2019.a.



	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
<b>Tractor radial tyres</b>							
10716500	210/95R16 (7.50R16)	TM600	106A8 (106B)	TL	20,2	219	<b>263</b>
1117900	240/70R16	TM700 O&V	104A8 (104B)	TL	18,8	268	<b>322</b>
0730400	260/70R16	TM700 O&V	109A8 (109B)	TL	20,6	298	<b>358</b>
0730500	280/70R16	TM700 O&V	112A8 (112B)	TL	23,8	313	<b>376</b>
10716600	210/95R18 (7.50R18)	TM600	108A8 (108B)	TL	21,9	242	<b>290</b>
0730800	280/70R18	TM700 O&V	114A8 (114B)	TL	26,9	316	<b>379</b>
1114700	320/65R18	TM800	109A8 (109B)	TL	30,4	453	<b>544</b>
1114800	340/65R18	TM800	113A8 (113B)	TL	33,8	487	<b>584</b>
0210100	7.5R20	TM190	6PR	TT	21,7	237	<b>284</b>
0210000	9.5R20	TM190	8PR	TT	26,0	271	<b>325</b>
1118600	280/70R20	TM700 O&V	116A8 (116B)	TL	29,4	356	<b>427</b>
1293800	280/85R20 (11.2R20)	TM600	112A8 (109B)	TL	38,0	353	<b>424</b>
0730600	300/70R20	TM700	110A8 (110B)	TL	32,4	387	<b>464</b>
0730700	320/70R20	TM700	113A8 (113B)	TL	38,8	420	<b>504</b>
1293900	320/85R20 (12.4R20)	TM600	119A8 (116B)	TL	45,9	377	<b>452</b>
0730900	360/70R20	TM700	120A8 (120B)	TL	49,3	479	<b>575</b>
0733200	380/70R20	TM700	122A8 (122B)	TL	56,8	529	<b>635</b>
0210200	8.3R24	TM190	8PR	TT	24,1	265	<b>318</b>
0209900	9.5R24	TM190	107A8	TT	28,3	290	<b>348</b>
11372800	250/85R24 (new 2019) Q3	TM600	112A8 (109B)	TL	34,4	309	<b>371</b>
1294000	280/85R24 (11.2R24)	TM600	115A8 (112B)	TL	43,6	345	<b>414</b>
0733300	320/70R24	TM700	116A8 (116B)	TL	43,8	443	<b>532</b>
1111100	320/85R24 (12.4R24)	TM600	122A8 (119B)	TL	52,5	402	<b>482</b>
1111200	340/85R24 (13.6R24)	TM600	125A8 (122B)	TL	58,5	463	<b>556</b>
0733400	360/70R24	TM700	122A8 (122B)	TL	53,7	519	<b>623</b>
0733500	380/70R24	TM700	125A8 (125B)	TL	59,8	582	<b>698</b>
1111300	380/85R24 (14.9R24)	TM600	131A8 (128B)	TL	69,7	532	<b>638</b>
0733600	420/70R24	TM700	130A8 (130B)	TL	74,7	658	<b>790</b>
1117400	420/85R24 (16.9R24)	TM600	137A8 (134B)	TL	90,8	673	<b>808</b>
1033400	440/65R24	TM800	128D	TL	72,9	683	<b>820</b>
1033500	480/65R24	TM800	133D	TL	89,8	806	<b>967</b>
1116600	480/70R24	TM700	138A8 (138B)	TL	92,0	828	<b>994</b>
1033600	540/65R24	TM800	140D	TL	110,9	991	<b>1189</b>
1033200	540/65R24 harvesting applicatio	TM800	146A8	TL	113,2	1036	<b>1243</b>
0731200	480/70R26	TM700	139A8 (139B)	TL	94,0	957	<b>1148</b>
1033700	540/65R26	TM800	141D	TL	115,2	1064	<b>1277</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
1115700	280/85R28 (11.2R28)	TM600	118A8 (115B)	TL	48,8	410	<b>492</b>
1116800	320/70R28	TM700	119A8 (119B)	TL	49,7	522	<b>626</b>
1115800	320/85R28 (12.4R28)	TM600	124A8 (121B)	TL	57,6	453	<b>544</b>
1111400	340/85R28 (13.6R28)	TM600	127A8 (124B)	TL	67,5	503	<b>604</b>
1116900	360/70R28	TM700	125A8 (125B)	TL	62,0	585	<b>702</b>
1117000	380/70R28	TM700	127A8 (127B)	TL	67,4	700	<b>840</b>
0734700	380/70R28	TM700 PT	127D	TL	66,6	729	<b>875</b>
1111500	380/85R28 (14.9R28)	TM600	133A8 (130B)	TL	79,0	559	<b>671</b>
1117100	420/70R28	TM700	133D	TL	86,3	768	<b>922</b>
0733800	420/70R28	TM700 PT	133D	TL	80,5	790	<b>948</b>
1111600	420/85R28 (16.9R28)	TM600	139A8 (136B)	TL	101,6	706	<b>847</b>
1033900	440/65R28	TM800	131D	TL	81,2	773	<b>928</b>
1034000	480/65R28	TM800	136D	TL	99,6	851	<b>1021</b>
1117200	480/70R28	TM700	140D	TL	102,2	978	<b>1174</b>
0734500	480/70R28	TM700 PT	140D	TL	104,1	1008	<b>1210</b>
1117300	480/70R28	TM700	145D (148A8)	TL	104,4	1121	<b>1345</b>
0735700	VF 520/60R28 Your Tire	TM1060	149D	TL	107,2	1155	<b>1386</b>
1034100	540/65R28	TM800	142D	TL	121,9	1091	<b>1309</b>
1035200	540/65R28	TM800 PT	142D	TL	121,9	1123	<b>1348</b>
1032300	540/65R28	TM800 HS	149D (146E)	TL	124,7	1198	<b>1438</b>
0735400	VF 600/60R28	TM1060	157D	TL	140,4	1351	<b>1621</b>
1034200	600/65R28	TM800	147D	TL	150,5	1527	<b>1832</b>
1032500	600/65R28	TM800 HS	154D (151E)	TL	152,4	1677	<b>2012</b>
1293200	600/70R28	TM900 HP	157D (154E)	TL	177,7	2164	<b>2597</b>
1071400	380/85R30 (14.9R30)	TM600	135A8 (135B)	TL	77,7	704	<b>845</b>
11351700	380/85R30 (14.9R30) new 201	TM600 PT	135A8 (135B)	TL	80,3	725	<b>870</b>
0731800	420/70R30	TM700	134A8 (134B)	TL	86,7	937	<b>1124</b>
1070100	420/85R30 (16.9R30)	TM600	140A8 (137B)	TL	102,5	787	<b>944</b>
1118900	420/90R30	TM600	147A8 (147B)	TL	118,7	970	<b>1164</b>
1294600	460/85R30 (18.4R30)	TM600	145A8 (142B)	TL	120,2	999	<b>1199</b>
0730300	480/70R30	TM700	141D	TL	108,4	1062	<b>1274</b>
0733900	480/70R30	TM700 PT	141D	TL	109,1	1093	<b>1312</b>
0684700	480/70R30	TM700 HS	147D (144E)	TL	112,8	1166	<b>1399</b>
0732000	520/70R30	TM700	145A8 (145B)	TL	137,4	1431	<b>1717</b>
0685000	520/70R30	TM700 HS	151D (148E)	TL	137,4	1570	<b>1884</b>
1034300	540/65R30	TM800	143D	TL	127,8	1179	<b>1415</b>
1032400	540/65R30	TM800 HS	150D (147E)	TL	132,5	1294	<b>1553</b>
0735500	VF 600/60R30	TM1060	158D	TL	143,6	1495	<b>1794</b>
1296900	600/70R30	TM900 HP	158D (155E)	TL	185,6	2172	<b>2606</b>
1328900	IF 600/70R30	TM1000 HP	159D	TL	173,8	2427	<b>2912</b>
11372400	VF 600/70R30 new 2019	TM1000 PT	170D	TL	173,0	2592	<b>3110</b>
1296700	710/60R30	TM900 HP	162D (159E)	TL	203,7	2330	<b>2796</b>
1071000	380/85R34 (14.9R34)	TM600	137A8 (137B)	TL	85,1	759	<b>911</b>
1331900	380/85R34 (14.9R34)	TM600	142A8 (142B)	TL	94,4	792	<b>950</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
1070200	420/85R34 (16.9R34)	TM600	142A8 (139B)	TL	116,5	870	<b>1044</b>
1331800	420/85R34 (16.9R34)	TM600	147A8 (147B)	TL	121,8	914	<b>1097</b>
11371200	VF 420/85R34 new 2019	TM1000 PT	154D	TL	121,0	1090	<b>1308</b>
1070300	460/85R34 (18.4R34)	TM600	147A8 (144B)	TL	136,1	1078	<b>1294</b>
0732100	480/70R34	TM700	143A8 (143B)	TL	119,1	1162	<b>1394</b>
11339800	480/70R34	TM700 PT	143A8 (143B)	TL	119,1	1197	<b>1436</b>
10894700	480/70R34	TM700 PT	155A8 (155B)	TL	133,9	1340	<b>1608</b>
0732200	520/70R34	TM700	148A8 (148B)	TL	145,5	1424	<b>1709</b>
1033300	540/65R34	TM800	145D	TL	139,6	1276	<b>1531</b>
1032600	540/65R34	TM800 HS	152D (149E)	TL	144,3	1400	<b>1680</b>
1034400	600/65R34	TM800	151D	TL	164,5	1602	<b>1922</b>
1032900	600/65R34	TM800 HS	157D (154E)	TL	174,4	1761	<b>2113</b>
1295700	650/60R34	TM900 HP	159D (156E)	TL	204,2	2447	<b>2936</b>
1329000	IF 650/60R34	TM1000 HP	159D	TL	207,1	2719	<b>3263</b>
1328600	IF 650/65R34	TM1000 HP	161D	TL	204,6	2820	<b>3384</b>
1296200	600/70R34	TM900 HP	160D (157E)	TL	198,4	2400	<b>2880</b>
10644800	710/55R34	TM900 HP	164D (161E)	TL	217,9	2548	<b>3058</b>
1296500	710/60R34	TM900 HP	164D (161E)	TL	221,6	2680	<b>3216</b>
1329100	IF 710/60R34	TM1000 HP	164D	TL	242,6	3010	<b>3612</b>
0209800	12.4R36	TM190	124A8 (121B)	TT	57,8	517	<b>620</b>
0439100	13.6R36	TM300S	127A8 (124B)	TT	73,7	542	<b>650</b>
1070700	320/85R38 (12.4R38)	TM600	129A8 (126B)	TL	69,2	569	<b>683</b>
1294700	340/85R38 (13.6R38)	TM600	133A8 (130B)	TL	83,0	673	<b>808</b>
1293400	380/80R38	TM600	142A8 (142B)	TL	99,2	801	<b>961</b>
1294800	380/85R38 (14.9R38)	TM600	144A8 (144B)	TL	107,7	861	<b>1033</b>
0673100	380/85R38 (14.9R38)	MARSHLAND	139A8 (139B)	TL	133,5	1053	<b>1264</b>
10893300	380/95R38 new 2019	TM600 PT	147A8 (147B)	TL	111,1	1006	<b>1207</b>
1115100	400/75R38	TM600	138A8 (135B)	TL	96,4	869	<b>1043</b>
1070400	420/85R38 (16.9R38)	TM600	144A8 (141B)	TL	131,0	1013	<b>1216</b>
10893500	420/85R38 (16.9R38) new 2019	TM600 PT	149A8 (149B)	TL	136,6	1043	<b>1252</b>
0673200	420/85R38 (16.9R38)	MARSHLAND	144A8 (144B)	TL	162,5	1289	<b>1547</b>
1070500	460/85R38 (18.4R38)	TM600	149A8 (146B)	TL	149,1	1171	<b>1405</b>
0673300	460/85R38 (18.4R38)	MARSHLAND	149A8 (149B)	TL	190,5	1445	<b>1734</b>
0732300	480/70R38	TM700	145A8 145B	TL	127,6	1300	<b>1560</b>
0734600	480/70R38	TM700 PT	145D	TL	139,4	1341	<b>1609</b>
11150800	480/80R38 new 2019 PT	TM600 PT	149A8 (149B)	TL	161,4	1373	<b>1648</b>
0732700	520/70R38	TM700	150D	TL	169,4	1553	<b>1864</b>
0733700	520/70R38	TM700 PT	150D	TL	170,1	1599	<b>1919</b>
1070600	520/85R38 (20.8R38)	TM600	155A8 (152B)	TL	179,7	1633	<b>1960</b>
10895900	520/85R38 (20.8R38) new 2019	TM600 PT	155A8 (152B)	TL	189,0	1683	<b>2020</b>
1034500	540/65R38	TM800	147D	TL	157,1	1452	<b>1742</b>
1032800	540/65R38	TM800 HS	153D (150E)	TL	158,1	1594	<b>1913</b>
0732800	580/70R38	TM700	155D	TL	212,2	2029	<b>2435</b>
0734400	580/70R38	TM700 PT	155D	TL	212,1	2088	<b>2506</b>

	Rehvi mōõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
11372600	VF 600/60R38 new 2019	TM1060	168D (165E)	TL	200,0	2121	<b>2545</b>
1034600	600/65R38	TM800	153D	TL	182,4	1752	<b>2102</b>
0735600	VF 650/60R38	TM1060	166D	TL	220,6	2236	<b>2683</b>
1034700	650/65R38	TM800	157D	TL	225,9	2253	<b>2704</b>
1035100	650/65R38	TM800 PT	157D	TL	225,9	2318	<b>2782</b>
1199000	650/65R38	TM800 HS	163D (159E)	TL	231,5	2474	<b>2969</b>
11198600	650/65R38 new 2019	TM800 HS	166D (169A8)	TL	241,6	2548	<b>3058</b>
1330200	IF 650/65R38	TM1000 HP	169D	TL	259,0	3144	<b>3773</b>
1295000	650/75R38	TM900 HP	169D (166E)	TL	271,8	3579	<b>4295</b>
1293000	650/85R38	TM900 HP	173D (170E)	TL	333,1	4031	<b>4837</b>
1330000	IF 710/60R38	TM1000 HP	172D	TL	276,9	3211	<b>3853</b>
0735300	VF 710/60R38	TM1060	171D	TL	263,5	3036	<b>3643</b>
1034800	710/70R38	TM800	166D	TL	288,1	3368	<b>4042</b>
1035000	710/70R38 Sugar Cane	TM800	166D	TL	280,6	3596	<b>4315</b>
1032700	710/70R38	TM800 HS	171D (168E)	TL	286,2	3695	<b>4434</b>
1035500	710/70R38 Forage	TM800	175D	TL	288,2	3877	<b>4652</b>
1293100	800/70R38	TM900 HP	178D (175E)	TL	347,0	4964	<b>5957</b>
11371100	VF 800/70R38 new 2019	TM1000 PT	184D	TL	346,0	5693	<b>6832</b>
1296600	900/60R38	TM900 HP	178D (175E)	TL	398,2	5372	<b>6446</b>
1071100	480/80R42 (18.4R42)	TM600	151A8 (151B)	TL	170,2	1448	<b>1738</b>
1294900	520/85R42 (20.8R42)	TM600	157A8 (157B)	TL	210,5	1927	<b>2312</b>
0732900	580/70R42	TM700	158D	TL	232,2	2460	<b>2952</b>
0734000	580/70R42	TM700 PT	158D	TL	222,9	2530	<b>3036</b>
1034900	600/65R42	TM800	154D	TL	190,7	2197	<b>2636</b>
0733100	620/70R42	TM700	166D	TL	241,7	2578	<b>3094</b>
0734100	620/70R42	TM700 PT	166D	TL	237,8	2653	<b>3184</b>
1033000	650/65R42	TM800	158D	TL	240,6	2611	<b>3133</b>
10824000	650/65R42	TM800	165D	TL	251,4	2690	<b>3228</b>
0735800	VF 710/60R42	TM1060	173D	TL	282,8	3829	<b>4595</b>
1296300	710/70R42	TM900 HP	173D (170E)	TL	327,7	4784	<b>5741</b>
11156600	710/70R42 new 2019 Harvest Y	TM900 HP	173D (170E)	TL	335,4	4786	<b>5743</b>
1296800	710/70R42 Harvesting	TM900 HP	179A8	TL	329,9	4991	<b>5989</b>
1329200	IF 710/70R42	TM1000 HP	179D	TL	327,2	5307	<b>6368</b>
1296100	710/75R42	TM900 HP	175D (172E)	TL	340,8	5190	<b>6228</b>
1328700	IF 710/75R42	TM1000 HP	176D	TL	369,4	5554	<b>6665</b>
1296400	900/60R42	TM900 HP	180D (177E)	TL	426,8	5548	<b>6658</b>
1329300	IF 900/60R42	TM1000 HP	180D	TL	435,8	6166	<b>7399</b>
10716400	VF 750/70R44	TM1060	183D	TL	400,3	5813	<b>6976</b>
1070900	480/80R46	TM600	158A8 (158B)	TL	184,6	1589	<b>1907</b>
1071200	520/85R46	TM600	158A8 (158B)	TL	217,6	2127	<b>2552</b>
1333800	IF 710/65R46	TM1000 HP	183D	TL	344,0	5149	<b>6179</b>
1330600	IF 750/75R46	TM1000 HP	186D	TL	445,6	6521	<b>7825</b>
1330100	IF 900/65R46	TM1000 HP	190D	TL	501,9	6664	<b>7997</b>
1071300	480/80R50	TM600	159D	TL	203,2	1849	<b>2219</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
11362400	480/80R50 new 2019 PT	TM600 Rice PT	159A8 (159B)	TL	216,2	1906	2287
11371300	VF 480/80R50 new 2019 PT	TM1000 PT	184D	TL	216,0	2715	3258
10893100	480/95R50	TM600 PT	164A8 (164B)	TL	233,2	2037	2444
<b>Radial Row cropping tyres ( narrow) for spreycers</b>							
0557200	230/95R32	TM100	128A8 (128B)	TL	37,7	481	577
0557300	270/95R32	TM100	136A8 (136B)	TL	56,9	587	704
0557400	230/95R36	TM100	130A8 (130B)	TL	44,0	539	647
0558100	270/95R38	TM100	140A8 (140B)	TL	71,0	709	851
0557500	210/95R44	TM100	120A8 (120B)	TL	43,4	532	638
0557600	230/95R44	TM100	134A8 (134B)	TL	51,2	619	743
0556800	270/95R44	TM100	142A8 (142B)	TL	79,5	761	913
0557700	300/95R46	TM100	148A8 (148B)	TL	92,4	955	1146
0558300	VF 380/90R46	TM150	173D	TL	158,8	1690	2028
0735000	VF 380/105R46	TM150	178D	TL	185,5	1878	2254
11144400	VF 480/80R46	TM150	177D	TL	206,8	2085	2502
11144500	VF 520/85R46	TM150	173D	TL	247,3	2604	3125
0557000	230/95R48	TM100	136A8 (136B)	TL	60,1	668	802
0557800	270/95R48	TM100	144A8 (144B)	TL	80,4	777	932
0557900	380/90R50	TM100	151A8 (151B)	TL	137,9	1290	1548
0734900	VF 380/105R50	TM150	179D	TL	197,6	2032	2438
11150600	VF 480/80R50	TM150	179D	TL	219,9	2474	2969
0558200	300/95R52	TM100	151A8	TL	105,3	1016	1219
0558000	380/90R54	TM100	152A8 (152B)	TL	147,7	1480	1776
<b>Tyres for harvesters &amp; heavy equipment</b>							
10708300	VF 1000/50R25	TM3000	184D	TL	365,0	6028	7234
1330400	VF 620/70R26 CFO	TM3000	173A8	TL	170,0	2288	2746
1325200	620/75R26	TM2000	166A8	TL	223,0	2012	2414
1350000	VF 750/50R26	TM3000	169D	TL	207,0	2938	3526
11373000	VF 750/65R26 CFO new 2019	TM3000	177A8 (177B)	TL	207,0	3225	3870
1325400	650/75R32	TM2000	172A8	TL	266,0	2724	3269
1331000	650/75R32	TM3000	172A8	TL	250,0	2984	3581
1328400	710/75R32	TM2000	177A8	TL	281,0	3040	3648
1326800	800/65R32	TM2000	178A8	TL	298,0	3603	4324
1329500	IF 800/65R32 CFO	TM3000	178A8	TL	303,0	4150	4980
1329400	IF 800/70R32 CFO	TM3000	182A8	TL	335,0	4909	5891
1328300	900/60R32	TM2000	181A8	TL	356,0	5275	6330
1333000	IF 900/65R32 CFO	TM3000	191A8 (191B)	TL	389,0	6061	7273
1329600	VF 1050/50R32	TM3000	198D	TL	427,0	7526	9031
1330900	IF 800/70R38 CFO	TM3000	187A8	TL	348,0	5397	6476
<b>Radial Tyres Agro-Industrial TH400 , TH500</b>							
1121000	11LR16	TH400	122A8	TL	32,0	370	444
1110000	340/80R18 (12.5-18)	TH400	143A8 (143B)	TL	54,0	483	580
1110100	400/70R18 (15.5/70-18)	TH400	147A8 (147B)	TL	63,0	498	598
1110200	400/70R20 (16/70-20)	TH400	149A8 (149B)	TL	70,0	636	763
1110300	400/70R24 (16/70-24)	TH400	152A8 (152B)	TL	79,0	664	797
1110400	440/80R24 (16.9-24)	TH400	161A8 (161B)	TL	100,0	836	1003
1110500	460/70R24 (17.5L-24)	TH400	159A8 (159B)	TL	97,0	685	822

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
10716900	460/70R24 (17.5L-24)	TH500	159A8 (159B)	TL	96,0	711	<b>853</b>
1110600	500/70R24 (19.5-24)	TH400	164A8 (164B)	TL	119,0	896	<b>1075</b>
1110700	480/80R26 (18.4-26)	TH400	160A8 (160B)	TL	122,0	964	<b>1157</b>
1110800	440/80R28 (16.9-28)	TH400	156A8 (156B)	TL	114,0	927	<b>1112</b>
<b>Diagonal Tyres Agro industrial Backhoes, telehandlers, compact loaders</b>							
1120100	320/80-18 (12.5-18)	TB40	139A8	TL	46,7	333	<b>400</b>
1120200	340/80-18	TB40	143A8	TL	51,9	376	<b>451</b>
1120000	440/80-28 (16.9-28)	TB40	156A8	TL	91,7	642	<b>770</b>
<b>Bias agro industrial backhoe</b>							
1116000	600/50-22.5	T480 EXC	173A8	TL	151,0	1990	<b>2388</b>
1116100	650/45-22.5	T440 EXC	175A8	TL	167,0	2091	<b>2509</b>
10717300	710/40-22.5	T480 EXC	176A8	TL	170,0	2356	<b>2827</b>
10717200	600/65-34	T440 LD SB	175A8	TL	228,0	2432	<b>2918</b>
1107600	620/60B34	T459 HD	175A8	TL	221,0	2257	<b>2708</b>
<b>Implement Twin Radial tyres</b>							
1324000	500/60R22.5	Twin Radial	155D	TL	102,0	928	<b>1114</b>
1324100	560/60R22.5	Twin Radial	161D	TL	116,0	1002	<b>1202</b>
1324200	580/65R22.5	Twin Radial	159D	TL	135,0	1276	<b>1531</b>
1116400	600/50R22.5	Twin Radial	159D	TL	110,0	1352	<b>1622</b>
1324600	600/55R26.5	Twin Radial	165D	TL	148,0	1471	<b>1765</b>
1330700	680/55R26.5	Twin Radial	171D	TL	157,0	1873	<b>2248</b>
1324500	710/50R26.5	Twin Radial	170D	TL	162,0	1949	<b>2339</b>
1324700	650/65R30.5	Twin Radial	176D	TL	202,0	2176	<b>2611</b>
1324800	750/60R30.5	Twin Radial	181D	TL	254,0	2512	<b>3014</b>
1324900	850/50R30.5	Twin Radial	182D	TL	269,0	2910	<b>3492</b>
10893700	800/60R32	Twin Radial	185D	TL	286,0	2631	<b>3157</b>
<b>TWIN Implement tyres</b>							
1143100	280/60-15.5	T421	115A8	TL	19,9	245	<b>294</b>
1137700	280/60-15.5	T421	125A8	TL	21,4	260	<b>312</b>
1473500	280/60-15.5	T478	128A8	TT	17,9	249	<b>299</b>
1480300	400/45-15.5	T423	116A8	TL	23,9	270	<b>324</b>
1468700	400/60-15.5	T404	145A8	TL	32,7	254	<b>305</b>
1219000	400/60-15.5	T478	145A8	TL	32,3	256	<b>307</b>
1470700	400/60-15.5	T404	148A8	TL	32,7	279	<b>335</b>
6134700	420/55-17	T421	133A8	TL	38,3	292	<b>350</b>
1473600	400/55-17.5	T404	131A8	TT	31,3	378	<b>454</b>
6134000	400/55-22.5	T404	147A8	TL	50,6	484	<b>581</b>
6134100	500/45-22.5	T404	146A8	TL	61,9	619	<b>743</b>
1103100	560/45-22.5	T404	154A8	TL	79,5	674	<b>809</b>
1103000	500/60-22.5	T404	155A8	TL	73,1	660	<b>792</b>
1473900	500/60-22.5	T421	155A8	TL	85,2	668	<b>802</b>
1103200	560/60-22.5	T404	158A8	TL	88,7	682	<b>818</b>
1103300	560/60-22.5	T404	167A8	TL	97,0	712	<b>854</b>
1103400	600/50-22.5	T404	156A8	TL	88,3	824	<b>989</b>
1115900	600/50 22.5	T404	165A8	TL	96,6	898	<b>1078</b>
1103600	600/50-22.5	T423	156A8	TL	93,7	909	<b>1091</b>
1103700	710/40-22.5	T404	158A8	TL	110,5	971	<b>1165</b>
1103900	400/60-26.5	T404	147A8	TT	64,8	608	<b>730</b>
1474800	500/60-26.5 BLR	T421	159A8	TL	95,5	952	<b>1142</b>
1104100	600/55-26.5	T404	166A8	TL	105,0	1027	<b>1232</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
1104200	600/55-26.5	T421	166A8	TL	127,3	1147	<b>1376</b>
1104300	600/55-26.5	T421	173A8	TL	135,5	1176	<b>1411</b>
1104400	710/45-26.5	T404	169A8	TL	138,6	1182	<b>1418</b>
1104500	710/45-26.5	T423	169A8	TL	141,2	1322	<b>1586</b>
1104600	800/40-26.5	T404	172A8	TL	166,7	1445	<b>1734</b>
1475500	600/60-30.5 BLR	T421	171A8	TL	140,0	1420	<b>1704</b>
1105000	650/65-30.5 BLR (1279200)	T404	173A8	TL	156,7	1598	<b>1918</b>
1105100	710/50-30.5	T404	175A8	TL	170,8	1658	<b>1990</b>
1105200	710/50-30.5	T423	175A8	TL	170,9	1830	<b>2196</b>
1105300	750/60-30.5	T404	178A8	TL	165,8	1870	<b>2244</b>
1105500	800/45-30.5	T404	178A8	TL	187,4	1876	<b>2251</b>
1105600	800/45-30.5	T423	178A8	TL	191,8	1964	<b>2357</b>
1105700	850/50-30.5	T404	179A8	TL	244,5	2094	<b>2513</b>
<b>Implement and small tractor tyres</b>							
0207600	5.0-10	IM110	4 PR	TT	5,1	67	<b>80</b>
0200200	4.00-12	IM110	2 PR	TT	4,0	55	<b>66</b>
0200100	5.00-12	IM110	4 PR	TT	5,4	71	<b>85</b>
0198600	6.5/80-12	IM110	4 PR	TT	7,3	93	<b>112</b>
0199200	7.00-12	IM110	6 PR	TT	11,5	145	<b>174</b>
0197700	10.0/80-12	IM110	6 PR	TT	17,5	196	<b>235</b>
0199900	5.00-14	IM110	4 PR	TT	6,5	95	<b>114</b>
0199800	5.00-15	IM110	6 PR	TT	6,4	113	<b>136</b>
0198800	6.5/80-15	IM110	4 PR	TT	8,4	126	<b>151</b>
0200400	7.5L-15	IM110	8 PR	TT	15,6	193	<b>232</b>
0207700	10.0/75-15.3	IM110	8 PR	TT	18,3	135	<b>162</b>
11259600	10.0/75-15.3	IM110	10PR	TL	21,1	143	<b>172</b>
0199600	6.00-16	IM110	8 PR	TT	11,2	137	<b>164</b>
0199400	6.50-16	IM110	8 PR	TT	11,9	145	<b>174</b>
0207800	7.50-16	IM110	8 PR	TT	15,6	198	<b>238</b>
0202400	7.50-16	IM110	8 PR	TL	17,5	199	<b>239</b>
0198100	8.25-16	IM110	8 PR	TT	18,6	274	<b>329</b>
0207900	9.0/75-16	IM110	6 PR	TT	17,3	210	<b>252</b>
0197900	250/80-16	IM110	8 PR	TT	18,0	337	<b>404</b>
0199100	7.50-18	IM110	6 PR	TT	17,6	206	<b>247</b>
0198200	250/80-18	IM110	8 PR	TT	21,1	338	<b>406</b>
0199300	4.50-19	IM110	2 PR	TT	6,9	69	<b>83</b>
0210500	210/95-20	IM220	119A8	TL	28,4	243	<b>292</b>
0208000	4.00-21	IM110	2 PR	TT	6,1	71	<b>85</b>
0209500	4.00/4.50-21	TD27	4 PR	TT	6,8	71	<b>85</b>
<b>AMPT TWIN tyres</b>							
1106700	620/50B22.5	T423 AMPT	160D	TL	105,8	1231	<b>1477</b>
1102600	650/45B22.5	T440	160D	TL	139,4	1700	<b>2040</b>
1106800	710/40B22.5	T423 AMPT	161D	TL	135,2	1533	<b>1840</b>
1106900	620/55B26.5	T421 AMPT	166D	TL	135,4	1575	<b>1890</b>
1107000	650/55B30.5	T428 AMPT	168D	TL	151,4	1713	<b>2056</b>
1102700	750/50B30.5	T428 AMPT	173D	TL	169,6	1953	<b>2344</b>
1107100	850/45B30.5	T423 AMPT	176D	TL	205,8	2287	<b>2744</b>
<b>TWIN Garden Traktor</b>							
1102900	400/55-17.5	T404 GT	108A8	TL	30,3	370	<b>444</b>
1109500	400/55-22.5	T404 GT	111A8	TL	43,8	460	<b>552</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
1106200	600/60-30.5	T404 GT	142A8	TL	140,0	1579	<b>1895</b>
<b>Standard Implement tires</b>							
1327000	200/95-12 (7.00-12)	AF302	101A8	TL	10,7	83	<b>100</b>
1469200	10.0/80-12	AW305	8 PR	TL	12,3	90	<b>108</b>
1469300	10.0/80-12	AW305	10 PR	TL	15,2	112	<b>134</b>
1327100	260/90-13 (9.00-13)	AF302	121A8	TL	15,6	126	<b>151</b>
1325900	260/70-15.3 (10.0/75-15.3)	AW305	116A8	TL	15,6	111	<b>133</b>
1326100	260/70-15.3 (10.0/75-15.3)	AW305	126A8	TL	15,8	116	<b>139</b>
1326200	260/70-15.3 (10.0/75-15.3)	AW305	131A8	TL	16,8	130	<b>156</b>
1326500	300/80-15.3 (11.5/80-15.3)	T452	123A8	TL	29,9	193	<b>232</b>
1328500	300/80-15.3 (11.5/80-15.3)	T452	141A8	TL	33,2	212	<b>254</b>
1326600	300/80-15.3 (11.5/80-15.3)	AW305	132A8	TL	22,0	154	<b>185</b>
1326700	300/80-15.3 (11.5/80-15.3)	AW305	141A8	TL	23,1	164	<b>197</b>
1327200	320/80-15.3 (12.5/80-15.3)	AW305	145A8	TL	26,4	189	<b>227</b>
1327300	180/90-16 (6.00-16)	AF302	100A8	TL	9,1	81	<b>97</b>
1327400	190/90-16 (6.50-16)	AF302	108A8	TL	12,0	90	<b>108</b>
1327500	200/90-16 (7.00-16)	AF302	111A8	TL	12,3	104	<b>125</b>
1327600	210/95-16 (7.50-16)	AF302	120A8	TL	15,1	126	<b>151</b>
1326400	260/70-16 (10.5/65-16)	AW305	134A8	TL	16,1	132	<b>158</b>
1327700	340/55-16 (13.0/55-16)	AW305	140A8	TL	21,1	174	<b>209</b>
10716800	340/55-16 (13.0/55-16)	AW309	140A8	TL	22,2	175	<b>210</b>
1327800	360/70-16 (13.0/75-16)	AW305	137A8	TL	29,0	202	<b>242</b>
1327900	360/65-16 (14.0/65-16)	AW305	148A8	TL	29,0	215	<b>258</b>
1298400	380/55-17 (15.0/55-17)	AW305	138A8	TL	30,6	230	<b>276</b>
1323100	420/55-17	T452	143A8	TL	45,8	400	<b>480</b>
1468800	480/45-17 (19.0/45-17)	AW305	146A8	TL	39,7	362	<b>434</b>
1323000	500/50-17	AW309	149A8	TL	47,5	407	<b>488</b>
1323200	520/50-17	T306	159A8	TL	55,7	458	<b>550</b>
0210400	555/45-17	RT HS	154F	TL	66,5	876	<b>1051</b>
<b>TM90 Bias tyres for drive wheel tractors</b>							
1121700	8.3-24	TM90	8PR 105A8	TL	23,3	151	<b>181</b>
1121800	9.5-24	TM90	8PR 112A8	TL	31,5	202	<b>242</b>
1121900	11.2-24	TM90	8PR 116A8	TL	37,3	235	<b>282</b>
10795500	12.4-24	TM90	12PR 124A8	TL	46,5	274	<b>329</b>
1123700	13.6-24	TM90	8PR 123A8	TL	53,4	307	<b>368</b>
1122200	14.9-24	TM90	8PR 128A8	TL	62,8	362	<b>434</b>
10795800	16.9-24	TM90	12PR 136A8	TL	77,1	436	<b>523</b>
1122400	14.9-26	TM90	8PR 129A8	TL	63,3	380	<b>456</b>
10841500	16.9-26	TM90 Harvester	10PR 137A6	TL	78,7	468	<b>562</b>
10796100	13.6-28	TM90	12PR 130A8	TL	61,7	383	<b>460</b>
10796300	14.9-28	TM90	12PR 134A8	TL	68,5	406	<b>487</b>
1123600	16.9-28	TM90	8PR 135A8	TL	82,4	437	<b>524</b>
1122700	14.9-30	TM90	8PR 131A8	TL	71,8	430	<b>516</b>
1122800	16.9-30	TM90	8PR 137A8	TL	80,5	485	<b>582</b>
10797100	18.4-30	TM90	12PR 145A8	TL	102,5	607	<b>728</b>
1123000	16.9-34	TM90	8PR 139A8	TL	91,7	552	<b>662</b>
10796900	18.4-34	TM90	12PR 146A8	TL	111,6	659	<b>791</b>
10796700	12.4-36	TM90	12PR 131A8	TL	60,3	371	<b>445</b>
10708500	15.5-38	TM90	8PR 129A8	TL	83,6	535	<b>642</b>
1123300	16.9-38	TM90	8PR 141A8	TL	104,3	605	<b>726</b>



	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
10796400	18.4-38	TM90	12PR 149A8	TL	121,5	709	<b>851</b>
10795700	20.8-38	TM90	12PR 152A8	TL	135,0	821	<b>985</b>
<b>TWIN Traktor Bias</b>							
1297000	400/55-17.5	T414	125A8 (122B)	TL	40,0	458	<b>550</b>
1108100	600/55-26.5	T414	148A8 (145B)	TL	135,0	1519	<b>1823</b>
1108200	600/55-30.5	T414	150A8 (147B)	TL	150,0	1743	<b>2092</b>
1108300	600/60-30.5	T414	153A8 (150B)	TL	157,0	1789	<b>2147</b>
1108600	800/55-30.5	T414	172A8 (168B)	TL	281,0	2924	<b>3509</b>
1108900	710/65-38	T414	162A8 (158B)	TL	278,0	2805	<b>3366</b>
1109100	850/50-38	T414	163A8 (160B)	TL	318,0	3109	<b>3731</b>
1109200	850/60-38	T414	175A8 (172B)	TL	373,0	3654	<b>4385</b>
1109300	850/55-42	T414	161A8 (157B)	TL	312,0	3372	<b>4046</b>
<b>Bias Tyres for steered wheels tractors</b>							
0305200	4.00-15	TD27	4 PR	TT	5,3	45	<b>54</b>
0450000	5.00-15	TD27	6 PR	TT	7,7	65	<b>78</b>
1111000	9.5L-15	TD300	8 PR	TL	22,0	253	<b>304</b>
0449000	5.50-16	TD27	6 PR	TT	8,7	75	<b>90</b>
0448600	6.00-16	TD27	8 PR	TT	10,9	93	<b>112</b>
0448500	6.50-16	TD27	8 PR	TT	13,4	114	<b>137</b>
0449600	7.50-16	TD27	8 PR	TT	16,2	136	<b>163</b>
0449700	7.50-16	TD27	10 PR	TT	16,6	139	<b>167</b>
1115200	7.50-16	TD300	8 PR	TT	18,0	145	<b>174</b>
0447200	9.00-16	TD300	8 PR	TT	26,0	203	<b>244</b>
1110900	10.00-16	TD300	10 PR	TL	27,6	223	<b>268</b>
0448200	7.50-18	TD300	8 PR	TT	19,3	161	<b>193</b>
0447700	7.50-18	TD300	10 PR	TT	21,8	167	<b>200</b>
449800	6.00-19	TD27	6 PR	TT	24,7	111	<b>133</b>
447900	7.50-20	TD300	6 PR	TT	27,9	169	<b>203</b>
<b>TWIN AMPT tyres</b>							
1106300	500/45-22.5	T404 FS	129A8	TT	61,5	848	<b>1018</b>
1140100	500/60-22.5	T421 SB	144A8	TT	99,1	1462	<b>1754</b>
10716100	600/50-22.5	T480 SB	149A8	TT	146,4	1763	<b>2116</b>
1101900	650/45-22.5	T440 SB	150A8	TT	151,3	1922	<b>2306</b>
10716200	710/40-22.5	T480 SB	161A8	TT	167,9	2056	<b>2467</b>
0735900	710/40-24.5	T440 SB	163A8	TT	197,5	2496	<b>2995</b>
0736000	710/40-24.5	T480 SB	163A8	TT	197,5	2496	<b>2995</b>
0736100	600/55-26.5	T440 SB	165A8	TT	192,9	2524	<b>3029</b>
0736200	600/55-26.5	T480 SB	165A8	TT	195,6	2619	<b>3143</b>
0734200	710/45-26.5	T440 SB	168A8	TT	238,9	2844	<b>3413</b>
0734300	710/45-26.5	T480 SB	168A8	TT	234,9	2843	<b>3412</b>
0736300	710/45-26.5	T480 SB	173A8	TT	236,6	3010	<b>3612</b>
11102000	750/55-26.5	T440 SB	182A8	TT	273,8	3400	<b>4080</b>
0736400	750/55-26.5	T480 SB	182A8	TT	280,3	3470	<b>4164</b>
10716000	800/40-26.5	T440 SB	170A8	TL	252,1	3122	<b>3746</b>
10709200	800/40-26.5	T480 SB	170A8	TL	252,1	3122	<b>3746</b>
0736500	780/50-28.5	T480 SB	182A8	TT	303,7	3765	<b>4518</b>
1106500	600/60-30.5	T414 FS	153A8	TL	157,4	1888	<b>2266</b>
1482800	710/50-30.5 BLR	T428 SB	173A8	TT	262,0	2905	<b>3486</b>
1102400	750/45-30.5	T428 SB	173A8	TT	290,3	3311	<b>3973</b>
10716300	600/65-34	T440 SB	163A8	TL	235,7	2979	<b>3575</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
10709400	710/55-34	T440 SB	167A8	TL	293,0	3416	<b>4099</b>
<b>AGROFOREST Tires</b>							
1298900	320/85-24 (12.4-24)	T410 AGF	127A8	TT	59,8	563	<b>676</b>
1299000	380/85-24 (14.9-24)	T410 AGF	137A8	TT	81,4	736	<b>883</b>
10717000	380/85-24 (14.9-24)	T410 AGF	143A8	TT	84,2	772	<b>926</b>
1299100	380/85-28 (14.9-28)	T410 AGF	139A8	TT	92,1	823	<b>988</b>
1299200	420/85-28 (16.9-28)	T410 AGF	144A8	TT	108,7	948	<b>1138</b>
1299400	460/85-30 (18.4-30)	T410 AGF	150A8	TT	140,1	1266	<b>1519</b>
1299500	420/85-34 (16.9-34)	T410 AGF	147A8	TT	126,9	1171	<b>1405</b>
10717100	420/85-34 (16.9-34)	T410 AGF	153A8	TT	126,8	1227	<b>1472</b>
1299600	460/85-34 (18.4-34)	T410 AGF	152A8	TT	150,9	1301	<b>1561</b>
1299700	420/85-38 (16.9-38)	T410 AGF	149A8	TT	139,1	1287	<b>1544</b>
1299800	460/85-38 (18.4-38)	T410 AGF	154A8	TT	169,7	1566	<b>1879</b>
1299900	520/85-38 (20.8-38)	T410 AGF	160A8	TT	219,3	1878	<b>2254</b>
<b>Forestry SKIDDER tyres</b>							
1282200	23.1-26	T418 SB	16 PR	TT	268,2	2440	<b>2928</b>
1282700	28L-26	T418 SB	20 PR	TT	351,3	3205	<b>3846</b>
1118800	28L-26	T418 SB	26 PR	TL	370,4	3303	<b>3964</b>
1282500	24.5-32	T418 SB	16 PR	TT	331,3	3071	<b>3685</b>
1282300	30.5L-32	T418 SB	20 PR	TT	392,0	3816	<b>4579</b>
1282800	30.5L-32	T418 SB	26 PR	TT	407,0	4136	<b>4963</b>
1282900	35.5L-32	T418 SB	24 PR	TL	572,0	5778	<b>6934</b>
<b>Light Service Tires Agricultural</b>							
1159900	3.00-4	T991	4 PR	TT	0,6	9	<b>11</b>
1152000	3.00-4	T991	6 PR	TT	0,6	9	<b>11</b>
1152200	4.00-4	T991	6 PR	TT	1,3	19	<b>23</b>
1160700	4.10-4	T510	4 PR	TT	0,9	13	<b>16</b>
1160300	3.50-6	T510	4 PR	TT	1,0	14	<b>17</b>
11233800	100/85-6	T513	46A6	TT	1,3	20	<b>24</b>
1152400	4.00-6	T991	6 PR	TT	1,1	16	<b>19</b>
1168500	13X5.00-6	T510	4 PR	TL	1,7	22	<b>26</b>
1147700	15X6.00-6	T510	6 PR	TT	2,7	36	<b>43</b>
1194200	140-6	T539	6 PR	TT	1,9	28	<b>34</b>
1160400	3.50-8	T510	4 PR	TT	1,1	17	<b>20</b>
1154800	3.50-8	T513	4 PR	TT	1,8	25	<b>30</b>
1151400	4.00-8	T63	4 PR	TT	2,4	34	<b>41</b>
1152600	4.00-8	T991	4 PR	TT	1,3	19	<b>23</b>
1152700	4.00-8	T991	6 PR	TT	1,3	19	<b>23</b>
1155200	4.00-8	T522	6 PR	TT	1,7	25	<b>30</b>
1160600	4.00-8	T510	4 PR	TT	1,1	16	<b>19</b>
1154900	4.00-8	T513	4 PR	TT	2,1	28	<b>34</b>
1155400	5.00-8	T522	6 PR	TT	2,8	37	<b>44</b>
1170000	16X6.50-8	T539	6 PR	TT	3,0	38	<b>46</b>
10576300	16x6.50-8	T510	73A8	TT	3,0	48	<b>58</b>
1194700	18x8.50-8	T510	6 PR	TT	5,4	59	<b>71</b>
6170400	18x8.50-8	T539	6 PR	TT	5,4	61	<b>73</b>
6150100	20X10.00-8	T539	6 PR	TT	7,5	92	<b>110</b>
1470100	220/45-8	T510	70A8 (58A8)	TT	3,2	36	<b>43</b>
0579600	220/60-8	T463 PLUS	74A8	TL	6,8	73	<b>88</b>
11093700	220/60-8	T510	83A8 (71A8)	TT	5,4	44	<b>53</b>

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
6155600	6.00-9	T522	6PR	TT	5,6	64	77
1152900	6.00-9	T991	10 PR	TT	5,8	65	78
6155500	6.00-9	T522	10 PR	TT	6,7	69	83
6156400	5.0-10	T462	8 PR	TL	6,7	79	95
6153200	7.50-10	T991	12 PR	TT	11,9	138	166
1150300	20X8.00-10	T539	6 PR	TL	7,4	84	101
10871100	20.5x8.00-10	T539	10 PR	TL	7,2	81	97
1150000	20X10.00-10	T539	6 PR	TL	7,8	89	107
1443100	200/55-10	T430	95A8	TL	7,1	85	102
1467000	6-12	T63	4 PR	TL	7,0	76	91
1146200	23X8.50-12	T463	4 PR	TL	8,4	96	115
6146100	23X8.50-12	T463	10 PR	TL	11,0	125	150
6150600	23X8.50-12	T539	10 PR	TT	10,1	114	137
1465600	23X10.50-12	T463	4 PR	TL	11,1	121	145
1227900	23X10.50-12	T539	6 PR	TL	11,2	124	149
1464900	23X10.50-12	T463	10 PR	TL	13,3	159	191
6146400	26X12.00-12	T463	4 PR	TL	16,1	166	199
1169500	26X12.00-12	T463	8 PR	TL	17,5	193	232
6151100	26X12.00-12	T539	8 PR	TL	14,8	161	193
1151000	26X12.00-12	T539	8 PR	TT	13,2	144	173
1480700	320/60-12	T421	132A8	TT	18,6	212	254
1476200	320/60-12	T421	132A8	TL	20,9	216	259
1144600	10.0/75-12	T446	10 PR	TL	21,5	240	288
1460300	300/65-12	T446	118A8	TL	23,7	259	311
1466100	200/60-14.5	T536	10 PR	TT	8,1	93	112
6144700	200/60-14.5	T448	10 PR	TT	11,0	125	150
1482100	7.00-15	TRACTION	6 PR	TT	10,6	117	140
0214500	11L-15	T510	12 PR	TL	18,7	171	205
1467300	31X15.50-15	T412	8 PR	TL	24,7	244	293
1443700	400/50-15 (31x15.5-15)	T463	135A8	TL	25,7	401	481
1467800	690X180-15	TRACTION	100A8	TT	11,8	123	148
<b>Light Service tires Industrial</b>							
1169800	4.10/3.50-4	T539	6 PR	TT	1,1	14	17
1481700	100/100-4	T539	60A8	TT	1,3	21	25
1300000	13X5.00-6	T539	6 PR	TL	1,8	25	30
1147500	140-6	T510	6 PR	TT	1,3	21	25
1147400	140-6	T510	10 PR	TT	2,8	41	49
1159700	3.00-8	T539 GREY	2 PR	TT	1,4	29	35
1155800	4.00-8	T523	8 PR	TT	2,7	38	46
1470500	18x8.50-8	T415	8 PR	TL	6,8	82	98
1440400	18x8.50-8	T570 SKS	8 PR	TL	6,8	79	95
1159500	190-8	T537	8 PR	TT	3,5	45	54
6156300	7.50-10	T523	14 PR	TL	16,9	192	230
1440500	18x8.50-10	T570 SKS	8 PR	TL	6,8	74	89
1440600	20x8.00-10	T570 SKS	8 PR	TL	9,3	103	124
1444600	23x8.50-12	T539 GREY	10 PR	TT	10,1	134	161
6150500	23X8.50-12	T550	6 PR	TL	9,9	113	136
1467500	23X12.50-12	T539	6 PR	TL	13,3	157	188
11144300	320/60-12	T421 GREY	132A8	TL	20,8	237	284
1467600	23X5 (5.00-13)	T94	10 PR	TL	9,8	122	146

	Rehvi mõõt	Muster	Kiirus / Koormus	TL TT	Kaal	Hind km.-ta	Hind km.-ga
<b>TWIN Garden Tractor tyres</b>							
1148200	11X4.00-4	T537S	2 PR	TL	1,1	17	<b>20</b>
1444100	13X5.00-6	GARDENER	2 PR	TL	1,4	21	<b>25</b>
1298800	13X5.00-6	T539	4 PR	TL	1,7	25	<b>30</b>
1444200	15X6.00-6	GARDENER	2 PR	TL	1,8	27	<b>32</b>
1169900	15X6.00-6	T539 GRIP	4 PR	TL	2,4	31	<b>37</b>
1476300	15X6.00-6	T510	4 PR	TL	2,7	32	<b>38</b>
6467200	100/65-6	T539 GRIP	24A8	TL	1,4	21	<b>25</b>
1470600	170/60-8	HIGH GRIP	47A8 (35A8)	TL	2,6	35	<b>42</b>
1470800	200/65-8	HIGH GRIP	59A8 (47A8)	TL	4,2	53	<b>64</b>
1444300	16X6.50-8	GARDENER	2 PR	TL	2,5	35	<b>42</b>
6467500	16X6.50-8	T539 GRIP	4 PR	TL	3,1	39	<b>47</b>
1442900	16x6.50-8	T510	84A8 (80B)	TT	3,7	45	<b>54</b>
1443500	16X7.50-8	T539	4 PR	TL	4,2	48	<b>58</b>
1159200	16X7.50-8	T537	4 PR	TL	2,7	35	<b>42</b>
1194600	18X7.50-8	T539	2 PR	TL	5,1	60	<b>72</b>
1444400	18x8.50-8	GARDENER	2 PR	TL	3,8	48	<b>58</b>
1149600	18x8.50-8	T539	4 PR	TL	5,4	63	<b>76</b>
1155000	18x9.50-8	T521 GT	4 PR	TL	5,0	67	<b>80</b>
1443800	18x9.50-8	DRIVER	4 PR	TL	4,9	52	<b>62</b>
1443600	20x8.00-8	T539	4 PR	TL	6,2	82	<b>98</b>
1444500	20X10.00-8	GARDENER	2 PR	TL	5,4	60	<b>72</b>
1150200	20X8.00-10	T539 GT	4 PR	TL	5,9	74	<b>89</b>
1481200	250/50-10	HIGH GRIP	79A8	TL	7,0	85	<b>102</b>
1150400	23X10.50-12	T539	4 PR	TL	10,1	108	<b>130</b>
1443900	23X10.50-12	DRIVER	4 PR	TL	8,0	80	<b>96</b>
1444000	23X10.50-12	DRIVER	6 PR	TL	8,4	85	<b>102</b>
1465800	26X12.00-12	T411	4 PR	TL	13,8	155	<b>186</b>
6150900	26X12.00-12	T539	4 PR	TL	12,2	126	<b>151</b>
1472500	220/60-12	T539 SOFT GRIP	88A8	TL	9,1	98	<b>118</b>
1466600	29X12.50-15	T411	4 PR	TT	13,4	143	<b>172</b>
1466700	29X13.50-15	T411	4 PR	TT	17,5	186	<b>223</b>
1467400	33X12.50-15	T413	6 PR	TL	21,0	222	<b>266</b>
1466400	33X15.50-15	T412	6 PR	TL	29,0	304	<b>365</b>
1466500	33X15.50-15	T412	8 PR	TL	30,9	329	<b>395</b>
1440300	320/55-15	T559 TURF GRIP	123A8	TL	19,5	207	<b>248</b>
11221700	320/70-15	T539	122A8	TL	23,5	473	<b>568</b>
1472100	380/60-15	T539 SOFT GRIP	114A8	TL	26,0	525	<b>630</b>
<b>Light Service Tires - High Speed</b>							
1159100	4.10/3.50-6	T533 HS	57J	TT	1,2	19	<b>23</b>
1195400	3.50-8	T501 HS	56J	TT	1,8	26	<b>31</b>
1147100	4.00-8	T49 HS	71J	TT	2,4	35	<b>42</b>
1148800	16.5X6.5-8	T539 HS	64J	TL	3,3	42	<b>50</b>
11233600	16.5X6.5-8	T539 HS	72J	TL	4,0	45	<b>54</b>
6158600	6.00-9	T523 HS	99J	TT	8,2	94	<b>113</b>
1467900	4.40-10	T690 HS	62J	TT	3,2	41	<b>49</b>